



TERMINALS & CONNECTORS

- Ring
- Spade
- Pin
- Flag
- Waterproof Heat Shrink
- Butt
- Male & Female
- Piggy Back
- Bullet & Receptacle
- Twist-on Wire
- Close End
- Stripping Quick Splice

Terminals and Connectors

Non-Insulated Ring Terminals



Stud Size	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
#6	76-RT22-06	76-RT22-06L	76-RT22-06C
#8	76-RT22-08	76-RT22-08L	76-RT22-08C
#10	76-RT22-10	76-RT22-10L	76-RT22-10C
Blue 16-14 AWG			
#6	76-RT16-06	76-RT16-06L	76-RT16-06C
#8	76-RT16-08	76-RT16-08L	76-RT16-08C
#10	76-RT16-10	76-RT16-10L	76-RT16-10C
Yellow 12-10 AWG			
#10	76-RT12-10	76-RT12-10L	76-RT12-10C
1/4"	76-RT12-1/4	76-RT12-1/4L	76-RT12-1/4C
5/16"	76-RT12-5/16	76-RT12-5/16L	76-RT12-5/16C
3/8"	76-RT12-3/8	76-RT12-3/8L	76-RT12-3/8C
1/2"	76-RT12-1/2	76-RT12-1/2L	76-RT12-1/2C
White 8 AWG			
1/4"	76-RT8-1/4	76-RT8-1/4L	76-RT8-1/4C
5/16"	76-RT8-5/16	76-RT8-5/16L	76-RT8-5/16C
3/8"	76-RT8-3/8	76-RT8-3/8L	76-RT8-3/8C

Non-Insulated Spade Terminals



Stud Size	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
#4	76-ST22-04	76-ST22-04L	76-ST22-04C
#6	76-ST22-06	76-ST22-06L	76-ST22-06C
#8	76-ST22-08	76-ST22-08L	76-ST22-08C
#10	76-ST22-10	76-ST22-10L	76-ST22-10C
1/4"	76-ST22-1/4	76-ST22-1/4L	76-ST22-1/4C
Blue 16-14 AWG			
#4	76-ST16-04	76-ST16-04L	76-ST16-04C
#6	76-ST16-06	76-ST16-06L	76-ST16-06C
#8	76-ST16-08	76-ST16-08L	76-ST16-08C
#10	76-ST16-10	76-ST16-10L	76-ST16-10C
1/4"	76-ST12-1/4	76-ST12-1/4L	76-ST12-1/4C
Yellow 12-10 AWG			
#6	76-ST12-06	76-ST12-06L	76-ST12-06C
#8	76-ST12-08	76-ST12-08L	76-ST12-08C
#10	76-ST12-10	76-ST12-10L	76-ST12-10C
1/4"	76-ST12-1/4	76-ST12-1/4L	76-ST12-1/4C

PVC Insulated Flange Spade Terminals



Stud Size	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
#6	76-IFST22-06	76-IFST22-06L	76-IFST22-06C
#8	76-IFST22-08	76-IFST22-08L	76-IFST22-08C
#10	76-IFST22-10	76-IFST22-10L	76-IFST22-10C
Blue 16-14 AWG			
#6	76-IFST16-06	76-IFST16-06L	76-IFST16-06C
#8	76-IFST16-08	76-IFST16-08L	76-IFST16-08C
#10	76-IFST16-10	76-IFST16-10L	76-IFST16-10C
Yellow 12-10 AWG			
#6	76-IFST12-06	76-IFST12-06L	76-IFST12-06C
#8	76-IFST12-08	76-IFST12-08L	76-IFST12-08C
#10	76-IFST12-10	76-IFST12-10L	76-IFST12-10C
1/4"	76-IFST12-1/4	76-IFST12-1/4L	76-IFST12-1/4C

PVC Insulated Ring Terminals



Stud Size	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
#6	76-IRT22-06	76-IRT22-06L	76-IRT22-06C
#8	76-IRT22-08	76-IRT22-08L	76-IRT22-08C
#10	76-IRT22-10	76-IRT22-10L	76-IRT22-10C
1/4"	76-IRT22-1/4	76-IRT22-1/4L	76-IRT22-1/4C
5/16"	76-IRT22-5/16	76-IRT22-5/16L	76-IRT22-5/16C
Blue 16-14 AWG			
#6	76-IRT16-06	76-IRT16-06L	76-IRT16-06C
#8	76-IRT16-08	76-IRT16-08L	76-IRT16-08C
#10	76-IRT16-10	76-IRT16-10L	76-IRT16-10C
1/4"	76-IRT16-1/4	76-IRT16-1/4L	76-IRT16-1/4C
5/16"	76-IRT16-5/16	76-IRT16-5/16L	76-IRT16-5/16C
3/8"	76-IRT16-3/8	76-IRT16-3/8L	76-IRT16-3/8C
Yellow 12-10 AWG			
#8	76-IRT12-08	76-IRT12-08L	76-IRT12-08C
#10	76-IRT12-10	76-IRT12-10L	76-IRT12-10C
1/4"	76-IRT12-1/4	76-IRT12-1/4L	76-IRT12-1/4C
5/16"	76-IRT12-5/16	76-IRT12-5/16L	76-IRT12-5/16C
3/8"	76-IRT12-3/8	76-IRT12-3/8L	76-IRT12-3/8C
1/2"	76-IRT12-1/2	76-IRT12-1/2L	76-IRT12-1/2C
White 8 AWG			
#8	76-IRT8-08	76-IRT8-08L	76-IRT8-08C
#10	76-IRT8-10	76-IRT8-10L	76-IRT8-10C
1/4"	76-IRT8-1/4	76-IRT8-1/4L	76-IRT8-1/4C
5/16"	76-IRT8-5/16	76-IRT8-5/16L	76-IRT8-5/16C
3/8"	76-IRT8-3/8	76-IRT8-3/8L	76-IRT8-3/8C

PVC Insulated Spade Terminals



Stud Size	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
#4	76-IST22-04	76-IST22-04L	76-IST22-04C
#6	76-IST22-06	76-IST22-06L	76-IST22-06C
#8	76-IST22-08	76-IST22-08L	76-IST22-08C
#10	76-IST22-10	76-IST22-10L	76-IST22-10C
Blue 16-14 AWG			
#4	76-IST16-04	76-IST16-04L	76-IST16-04C
#6	76-IST16-06	76-IST16-06L	76-IST16-06C
#8	76-IST16-08	76-IST16-08L	76-IST16-08C
#10	76-IST16-10	76-IST16-10L	76-IST16-10C
1/4"	76-IST16-1/4	76-IST16-1/4L	76-IST16-1/4C
Yellow 12-10 AWG			
#6	76-IST12-06	76-IST12-06L	76-IST12-06C
#8	76-IST12-08	76-IST12-08L	76-IST12-08C
#10	76-IST12-10	76-IST12-10L	76-IST12-10C
1/4"	76-IST12-1/4	76-IST12-1/4L	76-IST12-1/4C
5/16"	76-IST12-5/16	76-IST12-5/16L	76-IST12-5/16C
White 8 AWG			
#8	76-IST8-08	76-IST8-08L	76-IST8-08C
#10	76-IST8-10	76-IST8-10L	76-IST8-10C
1/4"	76-IST8-1/4	76-IST8-1/4L	76-IST8-1/4C

Non-Insulated Flag Terminals



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-FT22	76-FT22L	76-FT22C
Blue 16-14 AWG			
.250"	76-FT16	76-FT16L	76-FT16C
Yellow 12-10 AWG			
.250"	76-FT12	76-FT12L	76-FT12C

Nylon Insulated Flag Terminals



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-NIFT22	76-NIFT22L	76-NIFT22C
Blue 16-14 AWG			
.250"	76-NIFT16	76-NIFT16L	76-NIFT16C

Terminals and Connectors

Non-Insulated Butt Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
White 26-24 AWG		
76-BC26	76-BC26L	76-BC26C
Red 22-18 AWG		
76-BC22	76-BC22L	76-BC22C
Blue 16-14 AWG		
76-BC16	76-BC16L	76-BC16C
Yellow 12-10 AWG		
76-BC12	76-BC12L	76-BC12C
White 8 AWG		
76-BC8	76-BC8L	76-BC8C

Heat Shrink Insulated Butt Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
White 26-24 AWG		
76-HIBC26	76-HIBC26L	76-HIBC26C
Red 22-18 AWG		
76-HIBC22	76-HIBC22L	76-HIBC22C
Blue 16-14 AWG		
76-HIBC16	76-HIBC16L	76-HIBC16C
Yellow 12-10 AWG		
76-HIBC12	76-HIBC12L	76-HIBC12C

PVC Insulated Male Disconnects



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-IMD22-110	76-IMD22-110L	76-IMD22-110C
.187"	76-IMD22-187	76-IMD22-187L	76-IMD22-187C
.250"	76-IMD22-250	76-IMD22-250L	76-IMD22-250C
Blue 16-14 AWG			
.110"	76-IMD16-110	76-IMD16-110L	76-IMD16-110C
.187"	76-IMD16-187	76-IMD16-187L	76-IMD16-187C
.250"	76-IMD16-250	76-IMD16-250L	76-IMD16-250C
Yellow 12-10 AWG			
.250"	76-IMD12-250	76-IMD12-250L	76-IMD12-250C

PVC Insulated Butt Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-IBC22	76-IBC22L	76-IBC22C
Blue 16-14 AWG		
76-IBC16	76-IBC16L	76-IBC16C
Yellow 12-10 AWG		
76-IBC12	76-IBC12L	76-IBC12C
White 8 AWG		
76-IBC8	76-IBC8Q*	76-IBC8C

* "Q" suffix indicates 25/Pkg.

Heat Shrink Insulated Butt Connectors w/Internal Fluxed Solder Ring



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
White 26-24 AWG		
76-HISBC26	76-HISBC26L	76-HISBC26C
Red 22-18 AWG		
76-HISBC22	76-HISBC22L	76-HISBC22C
Blue 16-14 AWG		
76-HISBC16	76-HISBC16L	76-HISBC16C
Yellow 12-10 AWG		
76-HISBC12	76-HISBC12L	76-HISBC12C

Nylon Insulated Male Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-NIMD22-110	76-NIMD22-110L	76-NIMD22-110C
.187"	76-NIMD22-187	76-NIMD22-187L	76-NIMD22-187C
.250"	76-NIMD22-250	76-NIMD22-250L	76-NIMD22-250C
Blue 16-14 AWG			
.110"	76-NIMD16-110	76-NIMD16-110L	76-NIMD16-110C
.187"	76-NIMD16-187	76-NIMD16-187L	76-NIMD16-187C
.250"	76-NIMD16-250	76-NIMD16-250L	76-NIMD16-250C
Yellow 12-10 AWG			
.250"	76-NIMD12-250	76-NIMD12-250L	76-NIMD12-250C

Nylon Insulated Butt Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-NIBC22	76-NIBC22L	76-NIBC22C
Blue 16-14 AWG		
76-NIBC16	76-NIBC16L	76-NIBC16C
Yellow 12-10 AWG		
76-NIBC12	76-NIBC12L	76-NIBC12C

Non-Insulated Male Disconnects



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-MD22-110	76-MD22-110L	76-MD22-110C
.187"	76-MD22-187	76-MD22-187L	76-MD22-187C
.250"	76-MD22	76-MD22L	76-MD22C
Blue 16-14 AWG			
.110"	76-MD16-110	76-MD16-110L	76-MD16-110C
.187"	76-MD16-187	76-MD16-187L	76-MD16-187C
.250"	76-MD16	76-MD16L	76-MD16C
Yellow 12-10 AWG			
.250"	76-MD12	76-MD12L	76-MD12C

Nylon Fully Insulated Male Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-NFIMD22	76-NFIMD22L	76-NFIMD22C
Blue 16-14 AWG			
.250"	76-NFIMD16	76-NFIMD16L	76-NFIMD16C
Yellow 12-10 AWG			
.250"	76-NFIMD12	76-NFIMD12L	76-NFIMD12C

Terminals and Connectors

Heat Shrink Insulated Male Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-HIMD22	76-HIMD22L	76-HIMD22C
Blue 16-14 AWG			
.250"	76-HIMD16	76-HIMD16L	76-HIMD16C
Yellow 12-10 AWG			
.250"	76-HIMD12	76-HIMD12L	76-HIMD12C

PVC Fully Insulated Female Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-FIFD22-110	76-FIFD22-110L	76-FIFD22-110C
.187"	76-FIFD22-187	76-FIFD22-187L	76-FIFD22-187C
.250"	76-FIFD22-250	76-FIFD22-250L	76-FIFD22-250C
Blue 16-14 AWG			
.187"	76-FIFD16-187	76-FIFD16-187L	76-FIFD16-187C
.250"	76-FIFD16-250	76-FIFD16-250L	76-FIFD16-250C
Yellow 12-10 AWG			
.250"	76-FIFD12-250	76-FIFD12-250L	76-FIFD12-250C

Heat Shrink Insulated Female Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-HIFD22	76-HIFD22L	76-HIFD22C
Blue 16-14 AWG			
.250"	76-HIFD16	76-HIFD16L	76-HIFD16C
Yellow 12-10 AWG			
.250"	76-HIFD12	76-HIFD12L	76-HIFD12C

Non-Insulated Female Disconnects



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-FD22-110	76-FD22-110L	76-FD22-110C
.187"	76-FD22-187	76-FD22-187L	76-FD22-187C
.250"	76-FD22	76-FD22L	76-FD22C
Blue 16-14 AWG			
.110"	76-FD16-110	76-FD16-110L	76-FD16-110C
.187"	76-FD16-187	76-FD16-187L	76-FD16-187C
.250"	76-FD16	76-FD16L	76-FD16C
Yellow 12-10 AWG			
.250"	76-FD12	76-FD12L	76-FD12C

Nylon Insulated Female Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-NIFD22-110	76-NIFD22-110L	76-NIFD22-110C
.187"	76-NIFD22-187	76-NIFD22-187L	76-NIFD22-187C
.250"	76-NIFD22-250	76-NIFD22-250L	76-NIFD22-250C
Blue 16-14 AWG			
.110"	76-NIFD16-110	76-NIFD16-110L	76-NIFD16-110C
.187"	76-NIFD16-187	76-NIFD16-187L	76-NIFD16-187C
.250"	76-NIFD16-250	76-NIFD16-250L	76-NIFD16-250C
Yellow 12-10 AWG			
.250"	76-NIFD12-250	76-NIFD12-250L	76-NIFD12-250C

PVC Insulated Piggyback Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-IPD22	76-IPD22L	76-IPD22C
Blue 16-14 AWG			
.250"	76-IPD16	76-IPD16L	76-IPD16C
Yellow 12-10 AWG			
.250"	76-IPD12	76-IPD12L	76-IPD12C

PVC Insulated Female Disconnects



NEMA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.110"	76-IFD22-110	76-IFD22-110L	76-IFD22-110C
.187"	76-IFD22-187	76-IFD22-187L	76-IFD22-187C
.250"	76-IFD22-250	76-IFD22-250L	76-IFD22-250C
Blue 16-14 AWG			
.110"	76-IFD16-110	76-IFD16-110L	76-IFD16-110C
.187"	76-IFD16-187	76-IFD16-187L	76-IFD16-187C
.250"	76-IFD16-250	76-IFD16-250L	76-IFD16-250C
Yellow 12-10 AWG			
.250"	76-IFD12-250	76-IFD12-250L	76-IFD12-250C

Nylon Fully Insulated Female Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-NFIFD22	76-NFIFD22L	76-NFIFD22C
Blue 16-14 AWG			
.250"	76-NFIFD16	76-NFIFD16L	76-NFIFD16C
Yellow 12-10 AWG			
.250"	76-NFIFD12	76-NFIFD12L	76-NFIFD12C

Nylon Insulated Piggyback Disconnects



NE-MA Tab	NTE Part No.		
	10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG			
.250"	76-NIPD22	76-NIPD22L	76-NIPD22C
Blue 16-14 AWG			
.250"	76-NIPD16	76-NIPD16L	76-NIPD16C
Yellow 12-10 AWG			
.250"	76-NIPD12	76-NIPD12L	76-NIPD12C

Terminals and Connectors

PVC Insulated Bullet Disconnects



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-IBD22	76-IBD22L	76-IBD22C
Blue 16-14 AWG		
76-IBD16	76-IBD16L	76-IBD16C
Yellow 12-10 AWG		
76-IBD12	76-IBD12L	76-IBD12C

PVC Fully Insulated Receptacle Disconnects



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-FIRD22	76-FIRD22L	76-FIRD22C
Blue 16-14 AWG		
76-FIRD16	76-FIRD16L	76-FIRD16C
Yellow 12-10 AWG		
76-FIRD12	76-FIRD12L	76-FIRD12C

PVC Insulated Pin Terminals



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-IPT22	76-IPT22L	76-IPT22C
Blue 16-14 AWG		
76-IPT16	76-IPT16L	76-IPT16C
Yellow 12-10 AWG		
76-IPT12	76-IPT12L	76-IPT12C

Twist On Wire Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Grey 22-18 AWG		
76-WN22	76-WN22L	76-WN22C
Orange 16-14 AWG		
76-WN16	76-WN16L	76-WN16C
Yellow 12-10 AWG		
76-WN12	76-WN12Q	76-WN12C

* "Q" suffix indicates 25/Pkg.

Nylon Fully Insulated Close End Connectors



NTE Part No.		
10 / Pkg.	50 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-NFICE22	76-NFICE22L	76-NFICE22C
Blue 16-14 AWG		
76-NFICE16	76-NFICE16L	76-NFICE16C
Yellow 12-10 AWG		
76-NFICE12	76-NFICE12L	76-NFICE12C
White 8 AWG		
76-NFICE8	76-NFICE8Q *	76-NFICE8C

* "Q" suffix indicates 25/Pkg.

Stripping Quick Splices



NTE Part No.		
5 / Pkg.	25 / Pkg.	100 / Pkg.
Red 22-18 AWG		
76-QS22	76-QS22Q	76-QS22C
Blue 16-14 AWG		
76-QS16	76-QS16Q	76-QS16C
Yellow 12-10 AWG		
76-QS12	76-QS12Q	76-QS12L

* "L" suffix indicates 50/Pkg.

Crimp Tool



Features

- Crimps both Insulated and Non-Insulated Terminals from 10 - 22 Gauge
- Wire Stripper: 10 - 22 Gauge
- Wire Cutter for All Gauges
- Bolt Cutter (8-32, 10-24, 10-32, 6-32, 4-40)

NTE Type No.	Description
76-MCT1	Multifunction crimp tool