

**SAFETY DATA SHEET**  
**Finished Product**



Date-Issued: 1/20/2003  
SDS Ref. No: RX100-10  
Date-Revised: 11/6/2017  
Revision No: 003

**ECG Electronics Freezer**  
**RX100-10**

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Brand Name</b>	RX100-10
<b>Product Description:</b>	ECG Electronics Freezer
<b>Product Code</b>	RX100-10
<b>Marketer Contact Information:</b>	NTE Electronics, Inc. 44 Farrand Street Bloomfield, NJ 07003 973-748-5089
<b>Emergency Phone:</b>	CHEMTREC 800-424-9300

**SECTION 2. HAZARDS IDENTIFICATION**

<b>OSHA/HCS Status</b>	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
<b>Classification of the Substance or Mixture</b>	GASES UNDER PRESSURE – Compressed gas

**GHS Label Elements**

<b>Hazard Pictograms</b>	A red diamond-shaped hazard pictogram containing a black silhouette of a gas cylinder.
<b>Single Word</b>	Warning
<b>Hazard Statements</b>	Contains gas under pressure; may explode if heated.

**Precautionary Statements**

<b>Prevention</b>	Not Applicable.
<b>Response</b>	Not Applicable.
<b>Storage</b>	Protect from sunlight. Store in a well-ventilated place.
<b>Disposal</b>	Not Applicable.
<b>Hazards Not Otherwise Classified</b>	None known

**SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS**

<b>Substance/Mixture</b>	Mixture
<b>Other Means of Identification</b>	Anti-Static Freeze Spray

**CAS Number/Other Identifiers**

<b>CAS Number</b>	Not Applicable
<b>Product Code</b>	RX100-10

<b>Ingredient Name</b>	<b>%</b>	<b>CAS Number</b>
Methanol	2	67-56-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4. FIRST-AID MEASURES

### Description of Necessary First Aid Measures

<b>Ingestion</b>	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.
<b>Skin Contact</b>	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Eye Contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

### Most Important Symptoms/Effects, Acute and Delayed

#### Potential Acute Health Effects

<b>Eye Contact</b>	Liquid can cause burns similar to frostbite.
<b>Inhalation</b>	At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen.
<b>Skin Contact</b>	Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite.
<b>Ingestion</b>	Ingestion of liquid can cause burns similar to frostbite.

#### Over-Exposure Sign/Symptoms

<b>Eye Contact</b>	Adverse symptoms may include the following: Frostbite Irritation Redness
<b>Inhalation</b>	Adverse symptoms may include the following: Respiratory tract irritation Coughing
<b>Skin Contact</b>	Adverse symptoms may include the following: Frostbite Pain or Irritation Redness Dryness Cracking
<b>Ingestion</b>	Adverse symptoms may include the following: Frostbite Irritation to Mouth, Throat, and Stomach

## SECTION 4. FIRST-AID MEASURES (Cont'd)

### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

<b>Notes to Physician</b>	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific Treatments</b>	No specific treatment.
<b>Protection of First-Aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

## SECTION 5. FIRE FIGHTING MEASURES

### Extinguishing Media

<b>Suitable Extinguishing Media:</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable Extinguishing Media:</b>	None known.
<b>Specific Hazards Arising from the Chemical:</b>	In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from fire at high speed.
<b>Hazardous Thermal Decomposition Products</b>	Decomposition products may include the following materials: Carbon Dioxide Carbon Monoxide Halogenated Compounds
<b>Special Protective Actions for Firefighters</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
<b>Special Protective Equipment or Firefighters</b>	Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

<b>For Non-Emergency Personnel</b>	No action shall be taken involving any personal risk without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For Emergency Responders</b>	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".
<b>Environmental Precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

### Methods and Materials for Containment and Cleaning Up

<b>Small Spill</b>	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternately, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
--------------------	---

## SECTION 6. ACCIDENTAL RELEASE MEASURES (Cont'd)

### Methods and Materials for Containment and Cleaning Up (Cont'd)

<b>Large Spill</b>	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite, or diatomaceous earth and place in container for disposal according to local regulations (See Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.
--------------------	---

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

<b>Protective Measures</b>	Put on appropriate personal protective equipment (See Section 8). Pressurize container: protect from sunlight and do not expose to temperatures exceeding +50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin, and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous.
<b>Advice on General Occupational Hygiene</b>	Eating, drinking, and smoking should be prohibited in area where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<b>Conditions for Safe Storage, Including any Incompatibilities</b>	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool, and well ventilated area, away from incompatible materials (See Section 10) and food and drink. Protect from sunlight. Use appropriate containment to avoid environmental contamination.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### CONTROL PARAMETERS

#### Occupational Exposure Limits

<b>Ingredient Name</b>	<b>Exposure Limits (absorbed through skin)</b>
Methanol	<b>ACGIH TVL (United States, 4/2014)</b> STEL: 328mg/m <sup>3</sup> 15 minutes STEL: 250ppm 15 minutes TWA: 262 mg/m <sup>3</sup> 8 hours TWA: 200ppm 8 hours <b>NIOSH REL (United States, 10/2013)</b> STEL: 325mg/m <sup>3</sup> 15 minutes STEL: 250ppm 15 minutes TWA: 260 mg/m <sup>3</sup> 10 hours TWA: 200ppm 10 hours <b>OSHA PEL (United States, 2/2013)</b> TWA: 260mg/m <sup>3</sup> 8 hours TWA: 200ppm 8 hours <b>OSHA PEL 1989 (United States, 3/1989)</b> STEL: 325mg/m <sup>3</sup> 15 minutes STEL: 250ppm 15 minutes TWA: 260 mg/m <sup>3</sup> 8 hours TWA: 200ppm 8 hours

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION (Cont'd)

### CONTROL PARAMETERS (Cont'd)

#### Occupational Exposure Limits (Cont'd)

<b>Appropriate Engineering Controls</b>	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
---	---

<b>Environmental Exposure Controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
--	---

#### Individual Protection Measures

<b>Hygiene Measures</b>	Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
-------------------------	---

<b>Eye/Face Protection</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
----------------------------	--

#### Skin Protection

<b>Hand Protection</b>	Chemical-resistant, impervious gloves, complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
------------------------	---

<b>Body Protection</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
------------------------	---

<b>Other Skin Protection</b>	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
------------------------------	---

#### Respiratory Protection

<b>Respiratory Protection</b>	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
-------------------------------	---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Physical State	Gas. [Aerosol]
Color	Clear. Colorless
Odor	Faint Odor. Ethereal.
Odor Threshold	Not Available.
pH	Not Available.
Melting Point	-101°C (-149.8°F)
Boiling Point	-26.2°C (-15.2°F)
Flash Point	Not Available
Evaporation Rate	Not Available
Flammability (Solid, Gas)	Not Available.
Lower and Upper Explosive (Flammable) Limits	Not Available.
Vapor Pressure	Not Available
Vapor Density	3.5 [Air = 1]
Relative Density	Not Available
Solubility	Not Available
Partition Coefficient: n-octanol/water	Not Available
Auto-Ignition Temperature	Not Available
Decomposition Temperature	Not Available
Viscosity	Not Available

### Aerosol Product

Type of Aerosol	Spray
Heat of Combustion	4.116kJ/g
Ignition Distance	0cm
Enclosed Space Ignition – Time Equivalent	381s/m <sup>3</sup>
Enclosed Space Ignition – Deflagration Density	537g/m <sup>3</sup>

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical Stability	This product is stable.
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid	No specific data.
Incompatible Materials	No specific data.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11. TOXICOLOGICAL INFORMATION INFORMATION ON TOXICOLOGICAL EFFECTS

### Acute Toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Methanol	LC50 Inhalation Gas	Rat	145000ppm	1 hour
	LC50 Inhalation Gas	Rat	64000ppm	4 hours
	LD50 Dermal	Rabbit	15800mg/kg	-
	LD50 Oral	Rat	5600mg/kg	-

### Irritation/Corrosion

Product/Ingredient Name	Result	Species	Score	Exposure	Observation
Methanol	Eyes – Moderate Irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes – Moderate Irritant	Rabbit	-	40 milligrams	-
	Skin – Moderate Irritant	Rabbit	-	24 hours 20 milligrams	-

### Sensitization

Conclusion/Summary	Not Available
--------------------	---------------

**SECTION 11. TOXICOLOGICAL INFORMATION (Cont'd)**  
**INFORMATION ON TOXICOLOGICAL EFFECTS (Cont'd)**

**Mutagenicity**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Carcinogenicity**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Reproductive Toxicity**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Teratogenicity**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Specific Target Organ Toxicity (Single Exposure)**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Specific Target Organ Toxicity (Repeated Exposure)**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Aspiration Hazard**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

<b>Information on the Likely Routes of Exposure</b>	Not Available
---	---------------

**Potential Acute Health Effects**

<b>Eye Contact</b>	Liquid can cause burns similar to frostbite.
<b>Inhalation</b>	At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen.
<b>Skin Contact</b>	Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite.
<b>Ingestion</b>	Ingestion of liquid can cause burns similar to frostbite.

**Symptom Related to the Physical, Chemical, and Toxicological Characteristics**

<b>Eye Contact</b>	Adverse symptoms may include the following: Frostbite Irritation Redness
<b>Inhalation</b>	Adverse symptoms may include the following: Respiratory Tract Irritation Coughing
<b>Skin Contact</b>	Adverse symptoms may include the following: Frostbite Pain or Irritation Redness Dryness Cracking
<b>Ingestion</b>	Adverse symptoms may include the following: Frostbite Irritating to Mouth, Throat and Stomach

**Delayed and immediate Effects and also Chronic Effects from Short and Long Term Exposure**

**Short Term Exposure**

<b>Potential Immediate Effects</b>	Not Available
<b>Potential Delayed Effects</b>	Not Available

**SECTION 11. TOXICOLOGICAL INFORMATION (Cont'd)**  
**INFORMATION ON TOXICOLOGICAL EFFECTS (Cont'd)**

**Long Term Exposure**

<b>Potential Immediate Effects</b>	Not Available
<b>Potential Delayed Effects</b>	Not Available

**Potential Chronic Health Effects**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

<b>General</b>	No Known Significant Effects of Critical Hazards
<b>Carcinogenicity</b>	No Known Significant Effects of Critical Hazards
<b>Mutagenicity</b>	No Known Significant Effects of Critical Hazards
<b>Teratogeniity</b>	No Known Significant Effects of Critical Hazards
<b>Developmental Effects</b>	No Known Significant Effects of Critical Hazards
<b>Fertility Effects</b>	No Known Significant Effects of Critical Hazards

**Numerical Measures of Toxicity**

**Acute Toxicity Estimates**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity**

<b>Product/Ingredient Name</b>	<b>Result</b>	<b>Species</b>	<b>Exposure</b>
Methanol	Acute EC50 16.912mg/l Marine Water	Algae – Ulva Pertusa	96 hours
	Acute EC50 10000000µg/l Fresh Water	Daphnia – Daphnia Magna	48 hours
	Acute LC50 2500000µg/l Marine Water	Crustaceans – Cragon Cragon – Adult	48 hours
	Acute LC50 100mg/l Fresh Water	Fish – Pimephales Promelas – Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 9.96mg/l Marine Water	Algae – Ulva Pertusa	96 hours

**Persistence/Degradability**

<b>Conclusion/Summary</b>	Not Available
---------------------------	---------------

**Bioaccumulative Potential**

<b>Product/Ingredient Name</b>	<b>LogP<sub>ow</sub></b>	<b>BCF</b>	<b>Potential</b>
Methanol	-0.77	< 10	Low

**Mobility in Soil**

<b>Soil/Water Partition Coefficient (K<sub>oc</sub>)</b>	Not Available
--	---------------

**Other Adverse Effects**

<b>Conclusion/Summary</b>	No known significant effects or critical hazards.
---------------------------	---

**SECTION 13. DISPOSAL CONSIDERATIONS**

<b>Disposal Methods</b>	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any other by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Disposal of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.
-------------------------	---






**SECTION 13. DISPOSAL CONSIDERATIONS (Cont'd)**

**United States – RCRA Toxic Hazardous Waste “U” List**

Ingredient	CAS #	Status	Reference Number
Methanol (I); Methyl Alcohol (I)	67-56-1	Listed	U154

**SECTION 14. TRANSPORT INFORMATION**

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN Number	-	-	-	UN3159	UN3159	UN3159
UN Proper Shipping Name	Consumer Commodity ORM-D DOT-SP 15146	Packaging Not Approved For Export to Canada	Consumer Commodity ORM-D	1,1,1,2 Tetrafluoroethane	1,1,1,2 Tetrafluoroethane	1,1,1,2 Tetrafluoroethane
Transport Hazard Class(es)	ORM-D	-	ORM-D	2 	2.2 	2.2 
Packing Group	-	-	-	-	-	-
Environmental Hazards	Yes	No	No	No	No	No
Additional Information	Include a copy of DOT SP15146 The marine pollutant mark is not required when transported on inland waterways in sizes of ≤ 5L or ≤ 5kg or by road, rail, or inland air in non-bulk sizes.	Packaging Not Approved For Export to Canada	-	-	Limited Quantity: 120mL	The environmentally hazardous substances mark may appear if required by other transportation regulations.

<b>Special Precautions for User</b>	<b>Transport within user’s premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
-------------------------------------	---

<b>Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code</b>	Not Available
---	---------------

**SECTION 15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

<b>TSCA 8(a) – CDR Exempt/Partial Exemption</b>	Not Determined All components are listed or exempted.
---	--

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)**

<b>Classification</b>	Listed
-----------------------	--------

**Clean Air Act Section 602 Class I Substances**

<b>Classification</b>	Not Listed
-----------------------	------------

**Clean Air Act Section 602 Class II Substances**

<b>Classification</b>	Not Listed
-----------------------	------------

**DEA List I Chemicals (Precursor Chemicals)**

<b>Classification</b>	Not Listed
-----------------------	------------

**SECTION 15. REGULATORY INFORMATION (Cont'd)****U.S. Federal Regulations (Cont'd)****DEA List II Chemicals (Essential Chemicals)**

<b>Classification</b>	Not Listed
-----------------------	------------

**SARA 302/304**

<b>Composition/Information on Ingredients</b>	No Products Were Found
---	------------------------

**SARA 304 RQ**

<b>Classification</b>	No Applicable
-----------------------	---------------

**SARA 311/312**

<b>Classification</b>	Sudden Release of Pressure
-----------------------	----------------------------

**Composition/Information on Ingredients**

Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (Acute) Health Hazard	Delayed (Chronic) Health Hazard
Methanol	2	Yes	No	No	Yes	No

**SARA 313**

	Product Name	CAS Number	%
<b>Form R – Reporting Requirement</b>	Methanol	67-56-1	2
<b>Supplier Notification</b>	Methanol	67-56-1	2

**State Regulations**

<b>Massachusetts</b>	The Following Components are Listed: METHANOL
<b>New York</b>	The Following Components are Listed: Methanol
<b>New Jersey</b>	The Following Components are Listed: METHYL ALCOHOL; METHANOL
<b>Pennsylvania</b>	The Following Components are Listed: METHANOL

**California Prop. 65**

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	Cancer	Reproductive	No Significant Risk Level	Maximum Acceptable Dosage Level
Methanol	No	Yes	No	23000µg/day (ingestion) 47000µg/day (inhalation)

**International Regulations****Chemical Weapon Convention List Schedules I, II & III Chemicals**

<b>Classification</b>	Not Listed
-----------------------	------------

**Montreal Protocol (Annexes A, B, C, E)**

<b>Classification</b>	Not Listed
-----------------------	------------

**Stockholm Convention on Persistent Organic Pollutants**

<b>Classification</b>	Not Listed
-----------------------	------------

**Rotterdam Convention on Prior Inform Consent (PIC)**

<b>Classification</b>	Not Listed
-----------------------	------------

**UNECE Aarhus Protocol on POPs and Heavy Metals**

<b>Classification</b>	Not Listed
-----------------------	------------

## SECTION 15. REGULATORY INFORMATION (Cont'd)

### International Lists

#### National Inventory

Australia	All Components are Listed or Exempted.
Canada	All Components are Listed or Exempted.
China	All Components are Listed or Exempted.
Europe	All Components are Listed or Exempted.
Japan	All Components are Listed or Exempted.
Malaysia	Not Determined.
New Zealand	All Components are Listed or Exempted.
Philippines	All Components are Listed or Exempted.
Republic of Korea	All Components are Listed or Exempted.
Taiwan	All Components are Listed or Exempted.

## SECTION 16. OTHER INFORMATION

### Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical Hazards	1

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the national Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 system to classify chemicals does so at their own risk.

### Further Information

This information above is believed to be accurate and represents the best information currently available to us. However, neither NTE nor any of its subsidiaries make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.