

SAFETY DATA SHEET

Finished Product



Date-Issued: 7/5/2011
SDS Ref. No: RX1401-16
Date-Revised: 11/7/2017
Revision No: 002

ECG Electronics HD Cleaning Solvent RX1401-16

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Brand Name	RX1401-16
Product Description:	ECG Electronics HD Cleaning Solvent
Product Code	RX1401-16
Marketer Contact Information:	NTE Electronics, Inc. 44 Farrand Street Bloomfield, NJ 07003 973-748-5089
Emergency Phone:	CHEMTREC 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

OSHA/HCS Status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Classification of the Substance or Mixture	SKIN CORROSION/IRRITATION – Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION – Category 2a GASES UNDER PRESSURE – Compressed gas Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 2%

GHS Label Elements

Hazard Pictograms	Two red diamond-shaped hazard pictograms are shown side-by-side. The first contains a black exclamation mark, and the second contains a black gas cylinder.
Single Word	Danger
Hazard Statements	Causes serious eye irritation. Causes skin irritation. Contains gas under pressure; may explode if heated.

Precautionary Statements

Prevention	Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Wash hands thoroughly after handling.
Response	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	Protect from sunlight. Do not expose to temperatures exceeding +50°C/+122°F. Store in a well-ventilated place.
Disposal	Not Applicable.
Hazards Not Otherwise Classified	None known

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

Substance/Mixture	Mixture
Other Means of Identification	Fluxing agents Remover.

CAS Number/Other Identifiers

CAS Number	Not applicable
Product Code	RX1401-16

Ingredient Name	%	CAS Number
Trans-Dichloroethylene	50 - 70	156-60-5
Ethyl Alcohol	1 - 5	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST-AID MEASURES**Description of Necessary First Aid Measures**

Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Most Important Symptoms/Effects, Acute and Delayed**Potential Acute Health Effects**

Eye Contact	Causes serious eye irritation..
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact	Causes skin irritation.
Ingestion	Irritating to mouth, throat, and stomach.

SECTION 4. FIRST-AID MEASURES (Cont'd)

Over-Exposure Sign/Symptoms

Eye Contact	Adverse symptoms may include the following: Pain or irritation Watering Redness
Inhalation	Adverse symptoms may include the following: Respiratory tract irritation Coughing
Skin Contact	Adverse symptoms may include the following: Irritation Redness
Ingestion	Adverse symptoms may include the following: Nausea or vomiting Diarrhea

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific Treatments	No specific treatment.
Protection of First-Aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable Extinguishing Media:	None known.
Specific Hazards Arising from the Chemical:	Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from fire at high speed. Runoff to sewer may create fire or explosion hazard.
Hazardous Thermal Decomposition Products	Decomposition products may include the following materials: Carbon Dioxide Carbon Monoxide Halogenated Compounds Carbonyl Halides
Special Protective Actions for Firefighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special Protective Equipment or Firefighters	Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel	No action shall be taken involving any personal risk without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For Emergency Responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".
Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

Methods and Materials for Containment and Cleaning Up

Small Spill	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large Spill	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite, or diatomaceous earth and place in container for disposal according to local regulations (See Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Protective Measures	Put on appropriate personal protective equipment (See Section 8). Pressurize container: protect from sunlight and do not expose to temperatures exceeding +50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin, and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
Advice on General Occupational Hygiene	Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7. HANDLING AND STORAGE (Cont'd)

Precautions for Safe Handling (Cont'd)

Conditions for Safe Storage, Including any Incompatibilities	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool, and well ventilated area, away from incompatible materials (See Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.
---	---

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Occupational Exposure Limits

Ingredient Name	Exposure Limits
Trans-Dichloroethylene	ACGIH TLV (United States, 4/2014). TWA: 200ppm 8 hours TWA: 793mg/m ³ 8 hours
Ethyl Alcohol	ACGIH TLV (United States, 4/2014). STEL: 1000ppm 15 minutes NIOSH REL (United States, 10/2013). TWA: 1900mg/m ³ 10 hours TWA: 1000ppm 10 hours OSHA PEL (United States, 2/2013). TWA: 1900mg/m ³ 8 hours TWA: 1000ppm 8 hours OSHA PEL (United States, 3/1989). TWA: 1900mg/m ³ 8 hours TWA: 1000ppm 8 hours

Appropriate Engineering Controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor, or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental Exposure Control	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures	Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION (Cont'd)

CONTROL PARAMETERS (Cont'd)

Skin Protection

Hand Protection	Chemical-resistant, impervious gloves, complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body Protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other Skin Protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection

Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
-------------------------------	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State	Liquid
Color	Clear. Colorless
Odor	Ethereal. (Slight)
Odor Threshold	Not Available.
pH	Not Available.
Melting Point	Not Available
Boiling Point	+39°C (+102.2°F)
Flash Point	Not Available
Evaporation Rate	Not Available
Flammability (Solid, Gas)	Not Available.
Lower and Upper Explosive (Flammable) Limits	Lower: 4.6% Upper: 12.8%
Vapor Pressure	19.3kPa (144.85mm Hg) [room temperature]
Vapor Density	Not Available
Relative Density	1.22
Solubility	Not Available
Partition Coefficient: n-octanol/water	Not Available
Auto-Ignition Temperature	Not Available
Decomposition Temperature	Not Available
Viscosity	Not Available

Aerosol Product

Type of Aerosol	Spray
Heat of Combustion	0.84kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical Stability	This product is stable.
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid	Avoid all possible sources of ignition (spark or flame). Elevated temperature.
Incompatible Materials	Reactive or incompatible with the following materials: Oxidizing materials alkalis
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11. TOXICOLOGICAL INFORMATION
INFORMATION ON TOXICOLOGICAL EFFECTS****Acute Toxicity**

Product/Ingredient Name	Result	Species	Dose	Exposure
Trans-Dichloroethylene	LC Inhalation Gas	Rat	24100ppm	4 hours
	LD50 Dermal	Rabbit	> 5g/kg	-
	LD50 Oral	Rat	1235mg/kg	-
Ethyl Alcohol	LC50 Inhalation Vapor	Rat	124700mg/m ³	4 hours
	LD50 Oral	Rat	7g/kg	-

Irritation/Corrosion

Product/Ingredient Name	Result	Species	Score	Exposure	Observation
Trans-Dichloroethylene	Eyes – Moderate Irritant	Rabbit	-	10 milligrams 24 hours	-
	Skin – Moderate Irritant	Rabbit	-	500 milligrams 24 hours	-
Ethyl Alcohol	Eyes – Mild Irritant	Rabbit	-	500 milligrams 0.066666667 minutes	-
	Eyes – Moderate Irritant	Rabbit	-	100 milligrams	-
	Eyes – Moderate Irritant	Rabbit	-	100 microliters	-
	Eyes – Severe Irritant	Rabbit	-	500 milligrams	-
	Skin – Mild Irritant	Rabbit	-	400 milligrams 24 hours	-
	Skin – Moderate Irritant	Rabbit	-	20 milligrams	-

Sensitization

Conclusion/Summary	Not Available
---------------------------	---------------

Mutagenicity

Conclusion/Summary	Not Available
---------------------------	---------------

Carcinogenicity

Conclusion/Summary	Not Available
---------------------------	---------------

Classification

Product/Ingredient Name	OSHA	IARC	NTP
Ethyl Alcohol	-	1	-

Reproductive Toxicity

Conclusion/Summary	Not Available
---------------------------	---------------

Teratogenicity

Conclusion/Summary	Not Available
---------------------------	---------------

Specific Target Organ Toxicity (Single Exposure)

Conclusion/Summary	Not Available
---------------------------	---------------

SECTION 11. TOXICOLOGICAL INFORMATION (Cont'd)
INFORMATION ON TOXICOLOGICAL EFFECTS (Cont')
Specific Target Organ Toxicity (Repeated Exposure)

Conclusion/Summary	Not Available
---------------------------	---------------

Aspiration Hazard

Conclusion/Summary	Not Available
---------------------------	---------------

Information on the Likely Routes of Exposure	Not Available
--	---------------

Potential Acute Health Effects

Eye Contact	Causes serious eye irritation.
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure..
Skin Contact	Causes skin irritation.
Ingestion	Irritation to mouth, throat, and stomach.

Symptom Related to the Physical, Chemical, and Toxicological Characteristics

Eye Contact	Adverse symptoms may include the following: Pain or irritation Watering Redness
Inhalation	Adverse symptoms may include the following: Respiratory Tract Irritation Coughing
Skin Contact	Adverse symptoms may include the following: Irritation Redness
Ingestion	Adverse symptoms may include the following: Nausea or Vomiting Diarrhea

Delayed and immediate Effects and also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential Immediate Effects	Not Available
Potential Delayed Effects	Not Available

Long Term Exposure

Potential Immediate Effects	Not Available
Potential Delayed Effects	Not Available

Potential Chronic Health Effects

Conclusion/Summary	Not Available
---------------------------	---------------

General	No Known Significant Effects of Critical Hazards
Carcinogenicity	No Known Significant Effects of Critical Hazards
Mutagenicity	No Known Significant Effects of Critical Hazards
Teratogeniity	No Known Significant Effects of Critical Hazards
Developmental Effects	No Known Significant Effects of Critical Hazards
Fertility Effects	No Known Significant Effects of Critical Hazards

Numerical Measures of Toxicity

Acute Toxicity Estimates

Route	ATE Value
Oral	2058.3mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Product/Ingredient Name	Result	Species	Exposure
Trans-Dichloroethylene	Acute LC50 220000 to 290000µg/l Fresh Water	Daphnia – Daphnia Magna	48 hours
Ethyl Alcohol	Acute EC50 17.921mg/l Marine Water Acute EC50 2000µg/l Fresh Water Acute LC50 25500µg/l Marine Water Acute LC50 42000µg/l Fresh Water Chronic NOEC 4.995mg/l Marine Water Chronic NOEC 0.375µl/L Fresh Water	Algae – Ulva Pertusa Daphnia – Daphnia Magna Crustaceans – Artemia Franciscana – Larvae Fish – Oncorhynchus Mykiss Algae – Ulva Pertusa Fish – Gambusia Holbrooki - Larvae	96 hours 48 hours 48 hours 4 days 96 hours 12 weeks

Persistence/Degradability

Conclusion/Summary	Not Available
--------------------	---------------

Bioaccumulative Potential

Product/Ingredient Name	LogP _{ow}	BCF	Potential
Trans-Dichloroethylene	2.09	-	Low
Ethyl Alcohol	-0.35	-	Low

Mobility in Soil

Soil/Water Partition Coefficient (K _{oc})	Not Available
---	---------------




SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any other by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Disposal of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.
------------------	---

United States – RCRA Toxic Hazardous Waste “U” List

Ingredient	CAS #	Status	Reference Number
1,2-Dichloroethylene; Ethene, 1,2-Dichloro-, €-	156-60-5	Listed	U079

SECTION 14. TRANSPORT INFORMATION

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN Number	-	-	-	UN1950	UN1950	ID8000
UN Proper Shipping Name	Consumer Commodity ORM-D	Consumer Commodity ORM-D	Consumer Commodity ORM-D	(Trans-dichloroethylene, ethanol)	AEROSOLS IN LIMITED QUANTITIES OF CLASS 2	Consumer Commodity ID8000
Transport Hazard Class(es)	ORM-D	ORM-D	ORM-D	2 	2.1 	9 
Packing Group	-	-	-	-	-	-
Environmental Hazards	No	No	No	No	No	No

SECTION 14. TRANSPORT INFORMATION (Cont'd)

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID ADR/RID (D)	IMDG	IATA
Additional Information	<u>Reportable quantity</u> 1666.lbs. / 756.67 kg [163.84 gal / 620.22 L] Package sizes shipped in quantities less than the product reportable quantity are no subject to the RQ (reportable quantity) transportation requirements.	-	-	-	-	-

Special Precautions for User	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
-------------------------------------	---

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code	Not Available
---	---------------

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA 5(a)2 – Final Significant New Use Rules	Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-
TSCA 8(a) – CDR Exempt/Partial Exemption	Not Determined
TSCA 12(b) One-Time Export	Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro- All components are listed or exempted.
Clean Water Act (CWA) 307	Trans-Dichloroethylene

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

Classification	Not Listed
-----------------------	------------

Clean Air Act Section 602 Class I Substances

Classification	Not Listed
-----------------------	------------

Clean Air Act Section 602 Class II Substances

Classification	Not Listed
-----------------------	------------

DEA List I Chemicals (Precursor Chemicals)

Classification	Not Listed
-----------------------	------------

DEA List II Chemicals (Essential Chemicals)

Classification	Not Listed
-----------------------	------------

SARA 302/304

Composition/Information on Ingredients	No Products Were Found
---	------------------------

SARA 304 RQ

Classification	No Applicable
-----------------------	---------------

SECTION 15. REGULATORY INFORMATION (Cont'd)**SARA 311/312**

Classification	Fire Hazard. Immediate (acute) health hazard.
-----------------------	---

Composition/Information on Ingredients

Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (Acute) Health Hazard	Delayed (Chronic) Health Hazard
Trans-Dichloroethylene	50 - 70	Yes	No	No	Yes	No
Ethyl Alcohol	1 - 5	Yes	No	No	Yes	No

State Regulations

Massachusetts	The Following Components are Listed: DICHLOROETHYLENE-TRANS; ETHYL ALCOHOL; CARBON DIOXIDE
New York	The Following Components are Listed: Ethene, trans-1,2-dichloro-; Dichloroethylene
New Jersey	The Following Components are Listed: ETHYL ALCOHOL; ALCOHOL; CARBON DIOXIDE; CARBONIC GAS
Pennsylvania	The Following Components are Listed: ETHENE, 1,2-DICHLORO-, (E)-; DENATURED ALCOHOL; CARBON DIOXIDE

International Regulations**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Classification	Not Listed
-----------------------	------------

Montreal Protocol (Annexes A, B, C, E)

Classification	Not Listed
-----------------------	------------

Stockholm Convention on Persistent Organic Pollutants

Classification	Not Listed
-----------------------	------------

Rotterdam Convention on Prior Inform Consent (PIC)

Classification	Not Listed
-----------------------	------------

UNECE Aarhus Protocol on POPs and Heavy Metals

Classification	Not Listed
-----------------------	------------

International Lists**National Inventory**

Australia	All Components are Listed or Exempted.
Canada	All Components are Listed or Exempted.
China	All Components are Listed or Exempted.
Europe	Not Determined.
Japan	All Components are Listed or Exempted.
Malaysia	Not Determined.
New Zealand	All Components are Listed or Exempted.
Philippines	All Components are Listed or Exempted.
Republic of Korea	All Components are Listed or Exempted.
Taiwan	Not Determined.

SECTION 16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)

Health	2
Flammability	2
Physical Hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the national Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 system to classify chemicals does so at their own risk.

Further Information

This information above is believed to be accurate and represents the best information currently available to us. However, neither NTE nor any of its subsidiaries make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.