



# PROJECTION TV COOLANT

## 1915-16SQ – 16 oz squeeze bottle

### Introduction

---

Projection TV heat transfer fluid used by many large screen television manufacturers. Used in projection TV guns.

#### Features / Benefits

- Heat Transfer Fluid
- Non-Flammable
- Crystal Clear
- For Most Brands of Projection TV's
- Low Odor
- Non-Ozone Depleting



### Chemical Components

---

Component	CAS#
1,2-Ethanediol .....	107-21-1
1,2,3- Propanetriol .....	56-81-5

### Chemical Properties (MSDS available on request)

---

- PHYSICAL STATE: Liquid
- ODOR: Faint ethereal odor
- APPEARANCE: Clear, Colorless liquid
- pH: 7
- PERCENT VOLATILE: 65 at 25°C
- VAPOR DENSITY: 2.1 (Air=1)
- BOILING POINT: 197°C (386°F)
- FLASHPOINT AND METHOD: None : . . . . ASTM D-56 (Tag C.C.)
- SOLUBILITY IN WATER: Miscible
- DENSITY: 1.15 at 25°C
- (VOC): 748.000 g/L (non-exempt VOC)

### Environmental Policy

---

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

## Packaging and Availability

---

Techspray Projection TV Coolant is available in the following size:

1915-16SQ	16 oz. (by vol) squeeze bottle 12 bottles/case
-----------	---

## Resources

---

Techspray® products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email [tsales@techspray.com](mailto:tsales@techspray.com) or visit our web site at: [www.techspray.com](http://www.techspray.com).

North America  
Techspray  
P.O. Box 949  
Amarillo, TX 79105  
800-858-4043  
email: [tsales@techspray.com](mailto:tsales@techspray.com)

Europe  
ITW Contamination Control  
Skejby Nordlandsvej 307  
DK-8200 Aarhus N  
+45 87 400 220  
email: [info@itw-cc.com](mailto:info@itw-cc.com)

Countries Outside US  
Call to locate a distributor  
in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.