



TECHSPRAY
R E N E W™

High Performance Eco-Cleaning™

Product Information

Recycled Delicate Task Wipers

2342-300 • 2343-140

Introduction

Ideal for light cleaning tasks in the laboratory, repair and maintenance facilities, and more. Quickly and easily wipes up liquid and dust. Packaged in a portable dispenser that reduces lint and cross contamination.

Wipes and box are made of 100% recycled cellulose (at least 80% post consumer).

2342-300 is the small 4.4" x 8.3" (11cm x 21cm) wiper, which compares to Kimwipe KC34155. 2343-140 is the large 15" x 16.6" (38cm x 42cm) wiper, which compares to Kimwipe KC34256.

Compliant with European REACH (Registration, Evaluation, Authorization & Restriction of Chemicals) and WEEE (Waste Electrical and Electronic Equipment Directive) initiatives. It does not contain RoHS (Restriction of Hazardous Substances) restricted substances, SVHC (Substances of Very High Concern) list substances, or halides.

Features / Benefits

- Low linting
- Eco-friendly replacement for Kimwipes (KC34155, KC34256)
- 100% recycled wipe & box
- Biodegradable & sustainable

About TECHSPRAY RENEW™

TECHSPRAY RENEW™ is a brand that represents **High Performance Eco-Cleaning™**. Techspray® has applied our expertise in solvent cleaning to formulate some of the most effective eco-friendly cleaners on the market. Performance is our top priority, using the best "green" solutions as they become available. We all are at the cusp of the ongoing movement toward sustainable products, packaging, and processes. It is Techspray's intention to stay at the cutting-edge while keeping our products powerful and cost effective.

Competitive Testing Comparisons

Property	Techspray	Kimberly Clark
Part Number		
Small wipe	2342-300	KC34155
Large wipe	2343-140	KC34256
Wipe Size		
Small wipe	4.4" x 8.3" (11.2cm x 21.1cm)	4.5" x 8.5" (11.4cm x 21.6cm)
Large wipe	15" x 16.6" (38.1cm x 42.2cm)	15" x 17" (38.1cm x 43.2cm)
Wipes per Box		
Small wipe	300	280
Large wipe	140	140
Boxes per Carton		
Small wipe	60	60
Large wipe	15	15
Basis Weight	18.1 g/m ²	19.2 g/m ²
Thickness	3 mils	4.5 mils
Tear Strength	1.84 lbs	1.68 lbs
Sorptive Capacity	79.8 mL/m ²	110.4 mL/m ²
Sorptive Rate	3 sec/cm	3 sec/cm
Extractables		
DI Water, DIW	0.0949 g/m ²	0.0472 g/m ²
Isopropyl Alcohol, IPA	0.0176 g/m ²	0.0219 g/m ²
Ions		
Lithium	1.8 ppm	1.8 ppm
Potassium	6.5 ppm	9.6 ppm
Ammonium	1.8 ppm	1.8 ppm
Magnesium	38.5 ppm	31.2 ppm
Chloride	135.6 ppm	316.5 ppm
Fluoride	1.8 ppm	1.8 ppm
Bromide	6.1 ppm	1.8 ppm
Nitrate	1.8 ppm	1.8 ppm
Nitrite	1.8 ppm	1.8 ppm
Phosphate	2.5 ppm	99.5 ppm
Calcium	766.4 ppm	317.9 ppm
Sodium	261.0 ppm	281.9 ppm
Sulfate	74.3 ppm	121.7 ppm
Particles		
0.5µm x 10 ⁶	157 particles per m ²	77 particles per m ²
5-100µm	3,564,170 particles per m ²	6,461,500 particles per m ²
>100µm	128,610 particles per m ²	398,128 particles per m ²

Environmental Policy

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Packaging and Availability

Available in the following sizes:

2342-300	300 count, 4.4" x 8.3" (11cm x 21cm), pop-up box 60 boxes/case
2343-140	140 count, 15" x 16.6" (38cm x 42cm), pop-up box 15 boxes/case

Resources

Techspray® products are supported by global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America
Techspray
P.O. Box 949
Amarillo, TX 79105
800-858-4043
email: tsales@techspray.com

Europe
ITW Contamination Control
Skejby Nordlandsvej 307
DK-8200 Aarhus N
+45 87 400 220
email: info@itw-cc.com

Countries Outside US
Call to locate a distributor
in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

Techspray® is a registered trademark of Techspray. Techspray Renew™ is a trademark of Techspray.