

Standard Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- Socket to Rear



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-012 | Black | TL-002 |
| 72-013 | Red | TL-002 |
| 72-013-KIT | Contains 1 ea. of 72-012 & 72-013 | |

NEW

TL-002



Specifications

IEC 1010 Rating: 1000V CAT3 \square 30 Amps

OEM Style Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- Extremely Sharp, Stainless Steel Point
- Socket to Rear



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-049 | Black | TL-003 |
| 72-050 | Red | TL-003 |
| 72-050-KIT | Contains 1 ea. of 72-049 & 72-050 | |

NEW

TL-003



Specifications

IEC 1010 Rating: 1000V CAT3 / 600V CAT4 \square 30 Amps

Long Reach Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- Socket to Rear



| NTE Type No. | Color | DiagNo. |
|--------------|-----------------------------------|---------|
| 72-014 | Black | TL-004 |
| 72-015 | Red | TL-004 |
| 72-015-KIT | Contains 1 ea. of 72-012 & 72-013 | |

NEW

TL-004



Specifications

IEC 1010 Rating: 1000V CAT3 \square 20 Amps

Thin Spike Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- Designed for Precise Probing



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-020 | Black | TL-005 |
| 72-021 | Red | TL-005 |
| 72-021-KIT | Contains 1 ea. of 72-020 & 72-021 | |

NEW

TL-005



Specifications

IEC 1010 Rating: 1000V CAT3 / 600V CAT4 □ 10 Amps

Long Tip Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- 2mm Dia. Probe to Front
- Socket to Rear



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-010 | Black | TL-006 |
| 72-011 | Red | TL-006 |
| 72-011-KIT | Contains 1 ea. of 72-010 & 72-011 | |

NEW

TL-006



Specifications

IEC 1010 Rating: 1000V CAT3 □ 30 Amps

Lantern Probe, 4mm

Features


- Accepts All Industry Standard 4mm Test Lead Plugs
- Lantern Probe Tip
- Socket to Rear



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-018 | Black | TL-007 |
| 72-019 | Red | TL-007 |
| 72-019-KIT | Contains 1 ea. of 72-018 & 72-019 | |

NEW

TL-007



Specifications

IEC 1010 Rating: 1000V CAT3 □ 30 Amps

Fused Modular Probe, 4mm


Features

- Accepts All Industry Standard 4mm Test Lead Plugs
- Fused Probe Protects User From Shock, Even if the Instrument is Fused
- Fuse is Easily Serviced Without the Use of Tools



| NTE Type No. | Color | Replacement Fuse | Diag No. |
|--------------|-----------------------------------|------------------|----------|
| 72-022 | Black | 72-002 | TL-008 |
| 72-023 | Red | 72-002 | TL-008 |
| 72-023-KIT | Contains 1 ea. of 72-022 & 72-023 | | |

TL-008



Specifications

IEC 1010 Rating: 1000V CAT3 / 600V CAT4 \square 0.5 Amps
 Fuse Rating: 500mA/1000V/50kA

North American Line Power Receptacle Test Adaptor


Features

- UL/CSA Compliant
- Accepts All Industry Standard 4mm Test Lead Plugs
- Bladed Probes Assure Sound Electrical Contact with Standard A/C Receptacles



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-024 | Black | TL-016 |
| 72-025 | Red | TL-016 |
| 72-025-KIT | Contains 1 ea. of 72-024 & 72-025 | |

TL-016



Specifications

IEC 1010 Rating: 1000V CAT3 / 600V CAT4 \square 30 Amps

Sprung Hook, 4mm


Features

- Accepts All Industry Standard 4mm Test Lead Plugs
- Ideal for Hands-Free Connection to IC Legs and Small Conductors



| NTE Type No. | Color | Diag No. |
|--------------|-----------------------------------|----------|
| 72-016 | Black | TL-009 |
| 72-017 | Red | TL-009 |
| 72-017-KIT | Contains 1 ea. of 72-016 & 72-017 | |

TL-009




Specifications

IEC 1010 Rating: 1000V CAT3 / 600V CAT4 \square 20 Amps


Safety Plunger Clip Adapter, 4mm

Features

- Accepts All Industry Standard 4mm Test Lead Plugs
- 8-32 UNC Thread



TL-026



| NTE Type No. | Color | Diag No. |
|--------------|-------|----------|
| 72-177-0 | Black | TL-026 |
| 72-177-2 | Red | TL-026 |

Specifications

Rating: 1000V, 15 Amps


Insulated Plug-On Test Probe, 4mm

Features

- Accepts All Industry Standard 4mm Test Lead Plugs
- 8-32 UNC Thread



TL-027



| NTE Type No. | Color | Diag No. |
|--------------|-------|----------|
| 72-178-0 | Black | TL-027 |
| 72-178-2 | Red | TL-027 |

Specifications

IEC 1010 Rating: 1000V, 20 Amps


Right Angle Insulated Plunger Hook Clip, 4mm

Features

- Accepts All Industry Standard 4mm Test Lead Plugs
- Fast and Easy Connection to Terminal and Component Test Leads



TL-028



| NTE Type No. | Color | Diag No. |
|--------------|-------|----------|
| 72-180-0 | Black | TL-028 |
| 72-180-2 | Red | TL-028 |

Specifications

IEC 1010 Rating: 1000V, 15 Amps