

Miniature Steel Alligator Clip, 5 Amp

Features

- Nickel Plated
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description |
|--------------|--------------------------------|
| 72-123 | Miniature Steel Alligator Clip |




Miniature Solid Copper Alligator Clip, 5 Amp

Features

- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description |
|--------------|---------------------------------------|
| 72-125 | Miniature Solid Copper Alligator Clip |



PVC Insulator

Features

- Fits 72-123, 72-124 & 72-125 Types
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.220" (30.9mm)

| NTE Type No. | Description |
|--------------|--|
| 72-128-0 | PVC Insulator for 72-123 thru 72-125, Black |
| 72-128-2 | PVC Insulator for 72-123 thru 72-125, Red |
| NEW 72-128-4 | PVC Insulator for 72-123 thru 72-125, Yellow |
| NEW 72-128-5 | PVC Insulator for 72-123 thru 72-125, Green |
| NEW 72-128-6 | PVC Insulator for 72-123 thru 72-125, Blue |
| NEW 72-128-9 | PVC Insulator for 72-123 thru 72-125, White |




72-123 Series Kits

Features

- 5 Amp Nickel Plated Miniature Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|-----------------|---|
| 72-123-KIT1 | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Pair of 72-128-0 Black Insulators |
| 72-123-KIT2 | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Pair of 72-128-2 Red Insulators |
| NEW 72-123-KIT3 | 1 Pair of 72-123 Nickel Plated Mini Alligator Clips 1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators |




72-125 Series Kits

Features

- 5 Amp Solid Copper Miniature Alligator Clip
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|------------------------|--|
| 72-125-KIT1 | 1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Pair of 72-128-0 Black Insulators |
| 72-125-KIT2 | 1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Pair of 72-128-2 Red Insulators |
| NEW 72-125-KIT3 | 1 Pair of 72-125 Solid Copper Mini Alligator Clips 1 Each of 72-128-0 (Black) and 72-128-2 (Red) Insulators |



Mini Steel Alligator Clip w/Barrel, 5 Amp

Features

- Nickel Plated
- Crimp or Solder Connection Barrel Tail
- Overall Length: 1.250" (31.7mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description |
|--------------|--|
| 72-124 | Miniature Steel Alligator Clip with Barrel |



PVC Insulator

Features

- Fits 72-124
- Flexible PVC Composition
- Overall Length: 1.600" (42.9mm)

| NTE Type No. | Description |
|---------------------|---|
| 72-127-0 | PVC Insulator for 72-124 Series, Black |
| 72-127-2 | PVC Insulator for 72-124 Series, Red |
| NEW 72-127-4 | PVC Insulator for 72-124 Series, Yellow |
| NEW 72-127-5 | PVC Insulator for 72-124 Series, Green |
| NEW 72-127-6 | PVC Insulator for 72-124 Series, Blue |
| NEW 72-127-9 | PVC Insulator for 72-124 Series, White |



72-124 Series Kits

Features

- 5 Amp Steel Miniature Alligator Clip with Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|------------------------|--|
| 72-124-KIT1 | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Pair of 72-127-0 Black Insulators |
| 72-124-KIT2 | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Pair of 72-127-2 Red Insulators |
| NEW 72-124-KIT3 | 1 Pair of 72-124 Mini Steel Alligator Clips w/Barrel 1 Each of 72-127-0 (Black) and 72-127-2 (Red) Insulators |



Mini Steel Alligator Clip w/Threaded Barrel, 5 Amp

Features

- Nickel Plated
- 6-32 UNC Threaded Barrel Connection
- Overall Length: 1.500" (38.1mm)
- Jaw Opening: .190" (4.8mm)

| NTE Type No. | Description |
|--------------|---|
| 72-126 | Miniature Steel Alligator Clip with Threaded Barrel |



Toothless Steel Alligator Clip, 5 Amp

Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

| NTE Type No. | Description |
|--------------|--------------------------------|
| 72-129 | Toothless Steel Alligator Clip |




72-129 Series Kit

Features

- 5 Amp Toothless Steel Alligator Clip
- Flexible PVC Composition Insulator

NEW

| NTE Type No. | Kit Contains |
|--------------|--|
| 72-129-KIT | 2 Pair of 72-129 Toothless Steel Alligator Clips 2 Pieces of 72-131-0 Black Insulators 2 Pieces of 72-131-2 Red Insulators |



Toothless Solid Copper Alligator Clip, 5 Amp

Features

- Smooth Micro Tipped Jaws
- Crimp or Solder Connection
- Overall Length: 1.100" (27.9mm)
- Jaw Opening: .220" (5.58mm)

| NTE Type No. | Description |
|--------------|---------------------------------------|
| 72-130 | Toothless Solid Copper Alligator Clip |



72-130 Series Kit

Features

- 5 Amp Toothless Solid Copper Alligator Clip
- Flexible PVC Composition Insulator

NEW

| NTE Type No. | Kit Contains |
|--------------|---|
| 72-130-KIT | 2 Pair of 72-130 Toothless Solid Copper Alligator Clips 2 Pieces of 72-131-0 Black Insulators 2 Pieces of 72-131-2 Red Insulators |



PVC Insulator

Features

- Fits 72-129 & 72-130
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.250" (31.7mm)

| NTE Type No. | Description |
|--------------|---|
| 72-131-0 | PVC Insulator for 72-129 & 72-130, Black |
| 72-131-2 | PVC Insulator for 72-129 & 72-130, Red |
| NEW 72-131-4 | PVC Insulator for 72-129 & 72-130, Yellow |
| NEW 72-131-5 | PVC Insulator for 72-129 & 72-130, Green |
| NEW 72-131-6 | PVC Insulator for 72-129 & 72-130, Blue |
| NEW 72-131-9 | PVC Insulator for 72-129 & 72-130, White |



Steel Alligator Clip w/Barrel, 10 Amp

Features

- Nickel Plated
- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|----------------------------------|
| 72-148 | Steel Alligator Clip with Barrel |



Solid Copper Alligator Clip w/Barrel, 10 Amp

Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|---|
| 72-149 | Solid Copper Alligator Clip with Barrel |



72-149 Series Kit

Features

- 10 Amp Solid Copper Alligator Clip w/Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|----------------|---|
| NEW 72-149-KIT | 2 Pair of 72-149 Solid Copper Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |



Steel Alligator Clip w/Barrel & Screw, 10 Amp

Features

- Nickel Plated
- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|--|
| 72-153 | Steel Alligator Clip with Barrel & Screw |



72-153 Series Kit

Features

- 10 Amp Steel Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|-----------------------|--|
| NEW 72-153-KIT | 2 Pair of 72-153 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |



Solid Copper Alligator Clip w/Barrel & Screw, 10 Amp

Features

- Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|---|
| 72-151 | Solid Copper Alligator Clip with Barrel & Screw |



72-151 Series Kit

Features

- 10 Amp Solid Copper Alligator Clip w/Barrel & Screw
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|-----------------------|---|
| NEW 72-151-KIT | 2 Pair of 72-151 Solid Copper Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |



Steel Alligator Clip w/Threaded Barrel, 10 Amp

Features

- Nickel Plated
- 8-32 UNC Threaded Barrel Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|---|
| 72-154 | Steel Alligator Clip with Threaded Barrel |



72-154 Series Kit

Features

- 10 Amp Steel Alligator Clip w/Threaded Barrel
- Flexible PVC Composition Insulator



| NTE Type No. | Kit Contains |
|--------------|--|
| 72-154-KIT | 2 Pair of 72-154 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |

NEW

Stainless Steel Alligator Clip w/Barrel, 10 Amp

Features

- Crimp/Solder or Banana Plug Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)



| NTE Type No. | Description |
|--------------|--|
| 72-156 | Stainless Steel Alligator Clip with Barrel |

72-156 Series Kit

Features

- 10 Amp Stainless Steel Alligator Clip w/Barrel
- Flexible PVC Composition Insulator



| NTE Type No. | Kit Contains |
|--------------|--|
| 72-156-KIT | 2 Pair of 72-156 Stainless Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |

NEW

Steel Alligator Clip w/U-Shaped Tail, 10 Amp

Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)



| NTE Type No. | Description |
|--------------|---|
| 72-155 | Steel Alligator Clip with U-Shaped Tail |

72-155 Series Kit

Features

- 10 Amp Steel Alligator Clip w/U-Shaped Tail
- Flexible PVC Composition Insulator



| NTE Type No. | Kit Contains |
|--------------|--|
| 72-155-KIT | 2 Pair of 72-155 Steel Alligator Clips 2 Pieces of 72-157-0 Black Insulators 2 Pieces of 72-157-2 Red Insulators |

NEW

PVC Insulator

Features

- Fits 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description |
|---------------------|---|
| 72-157-0 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, Black |
| 72-157-2 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, Red |
| <i>NEW</i> 72-157-4 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, Yellow |
| <i>NEW</i> 72-157-5 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, Green |
| <i>NEW</i> 72-157-6 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, Blue |
| <i>NEW</i> 72-157-9 | PVC Insulator for 72-148, 72-149, 72-151, 72-153, 72-154, 72-155 & 72-156, White |



72-148 Series Kits

Features

- 10 Amp Alligator Clip with Barrel
- Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|------------------------|--|
| 72-148-KIT1 | 1 Pair of 72-148 Steel Alligator Clips 1 Pair of 72-157-0 Black Insulators |
| 72-148-KIT2 | 1 Pair of 72-148 Steel Alligator Clips 1 Pair of 72-157-2 Red Insulators |
| <i>NEW</i> 72-148-KIT3 | 1 Pair of 72-148 Steel Alligator Clips 1 Each of 72-157-0 (Black) and 72-157-2 (Red) Insulators |




Steel Alligator Clip w/Barrel, Screw & Handle, 10 Amp

Features

- Nickel Plated Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|-----------------------|--|
| 72-152-0 | Steel Alligator Clip with Barrel, Screw and Black Insulated Handle |
| 72-152-2 | Steel Alligator Clip with Barrel, Screw and Red Insulated Handle |
| <i>NEW</i> 72-152-KIT | 1 Each of 72-152-0 (Black) & 72-152-2 (Red) |




Solid Copper Alligator Clip w/Barrel, Screw & Handle, 10 Amp

Features

- Solid Copper Clip with Insulated Handle
- Banana Plug or Screw Connection
- Overall Length: 1.950" (49.5mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|--|
| 72-150-0 | Steel Alligator Clip with Barrel, Screw and Black Insulated Handle |
| 72-150-2 | Steel Alligator Clip with Barrel, Screw and Red Insulated Handle |
| 72-150-KIT | 1 Each of 72-150-0 (Black) & 72-150-2 (Red) |

NEW



Steel Alligator Clip, Insulated, 10 Amp

Features

- Nickel Plated Clip
- Includes Skin Tight Insulation
- Banana Plug or Screw Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|---|
| 72-158-0 | Steel Alligator Clip w/Skin Tight Insulation, Black |
| 72-158-2 | Steel Alligator Clip w/Skin Tight Insulation, Red |
| 72-158-KIT | 2 Each of 72-158-0 (Black) & 72-158-2 (Red) |

NEW



Steel Alligator Clip, 5 Amp

Features

- Nickel Plated Clip
- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|----------------------|
| 72-159 | Steel Alligator Clip |



Solid Copper Alligator Clip, 10 Amp

Features

- Crimp/Solder Connection
- Overall Length: 1.690" (42.9mm)
- Jaw Opening: .310" (7.87mm)

| NTE Type No. | Description |
|--------------|-----------------------------|
| 72-160 | Solid Copper Alligator Clip |



PVC Insulator

Features

- Fits 72-159 & 72-160
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.800" (45.7mm)

| NTE Type No. | Description |
|--------------|---|
| 72-161-0 | PVC Insulator for 72-159 & 72-160, Black |
| 72-161-2 | PVC Insulator for 72-159 & 72-160, Red |
| NEW 72-161-4 | PVC Insulator for 72-159 & 72-160, Yellow |
| NEW 72-161-5 | PVC Insulator for 72-159 & 72-160, Green |
| NEW 72-161-6 | PVC Insulator for 72-159 & 72-160, Blue |
| NEW 72-161-9 | PVC Insulator for 72-159 & 72-160, White |



72-159 Series Kits

Features

- 5 Amp Steel Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|-----------------|--|
| 72-159-KIT1 | 1 Pair of 72-159 Steel Alligator Clips 1 Pair of 72-161-0 Black Insulators |
| 72-159-KIT2 | 1 Pair of 72-159 Steel Alligator Clips 1 Pair of 72-161-2 Red Insulators |
| NEW 72-159-KIT3 | 1 Pair of 72-159 Steel Alligator Clips 1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators |



72-160 Series Kits

Features

- 10 Amp Solid Copper Alligator Clip
- Skin Tight Flexible PVC Composition Insulator

| NTE Type No. | Kit Contains |
|-----------------|---|
| 72-160-KIT1 | 1 Pair of 72-160 Solid Copper Alligator Clips 1 Pair of 72-161-0 Black Insulators |
| 72-160-KIT2 | 1 Pair of 72-160 Solid Copper Alligator Clips 1 Pair of 72-161-2 Red Insulators |
| NEW 72-160-KIT3 | 1 Pair of 72-160 Solid Copper Alligator Clips 1 Each of 72-161-0 (Black) and 72-161-2 (Red) Insulators |




Telecom Clip, Bed of Nails & Single Spike Combo

Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)

| NTE Type No. | Description |
|--------------|--|
| 72-167 | Insulator-Piercing Alligator Clip, Mitten Style, with Loose Hardware |
| 72-168 | Insulator-Piercing Alligator Clip, Mitten Style |



72-168 Series Kit

Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator



| NTE Type No. | Kit Contains |
|--------------|--|
| 72-168-KIT | 1 Pair of 72-168 Insulation-Piercing Alligator Clips 1 Each of 72-166-0 (Black) and 72-166-2 (Red) Insulators |

NEW

Mitten Style PVC Insulator

Features

- Fits 72-167 & 72-168
- Flexible PVC Composition
- Overall Length: 2.600" (66.0mm)



| NTE Type No. | Description |
|--------------|---|
| 72-166-0 | PVC Insulator for 72-167 & 72-168, Black |
| 72-166-2 | PVC Insulator for 72-167 & 72-168, Red |
| 72-166-4 | PVC Insulator for 72-167 & 72-168, Yellow |
| 72-166-5 | PVC Insulator for 72-167 & 72-168, Green |
| 72-166-6 | PVC Insulator for 72-167 & 72-168, Blue |
| 72-166-9 | PVC Insulator for 72-167 & 72-168, White |

NEW

NEW


NEW

NEW

Telecom Clip, Bed of Nails & Single Spike Combo

Features

- Nickel-Silver Jaw Material
- Ideal for Telecom Applications
- Crimp or Solder Connection
- Overall Length: 2.600" (66.0mm)
- Jaw Opening: 1.000" (25.4mm)



| NTE Type No. | Description |
|--------------|--|
| 72-096 | Insulator-Piercing Alligator Clip, Glove Style |

Glove Style Insulator for 72-096 Series

Features

- Flexible TPE Composition
- Overall Length: 2.000" (50.8mm)



| NTE Type No. | Description |
|--------------|---|
| 72-099B | TPE Insulator for 72-096 Series Clip, Black |
| 72-099R | TPE Insulator for 72-096 Series Clip, Red |

72-096 Series Kit

Features

- Telecom Clip, Bed of Nails & Single Spike Combo
- Skin Tight Flexible PVC Composition Insulator



| NTE Type No. | Kit Contains |
|--------------|--|
| 72-096-KIT | 1 Pair of 72-096 Insulation-Pirching Alligator Clips 1 Each of 72-099B (Black) and 72-099R (Red) Insulators |

NEW

Steel Alligator Clip, Fang Tooth w/Barrel

Features

- Nickel Plated Clip
- Crimp/Solder or Banana Plug Connection
- Grips Both Fine and Thick Conductors
- Overall Length: 1.920" (48.7mm)
- Jaw Opening: .390" (9.9mm)



| NTE Type No. | Description |
|--------------|--|
| 72-098 | Steel Alligator Clip, Fang Tooth with Barrel |