

# Heavy Duty Steel Clip, 50 Amp

## Features

- Zinc Plated Clip
- Heavy Duty Spring and Construction
- Crimp or Screw Connection
- Overall Length: 4.200" (106.7mm)
- Jaw Opening: 1.100" (27.9mm)

NTE Type No.	Description
72-113	Test Clip
72-113PS	Test Clip with Engraved Plus Sign



NEW

# Heavy Duty Solid Copper Clip, 100 Amp

## Features

- Heavy Duty Spring and Construction
- Crimp, Screw or Lug Connection
- Overall Length: 4.200" (106.7mm)
- Jaw Opening: 1.100" (27.9mm)

NTE Type No.	Description
72-114	Test Clip
72-114PS	Test Clip with Engraved Plus Sign



NEW

# PVC Insulator

## Features

- Fits 72-113 & 72-114
- Flexible PVC Composition
- Overall Length: 5.000" (127.0mm)

NTE Type No.	Description
72-115-0	PVC Insulator for 72-113 & 72-114, Black
72-115-2	PVC Insulator for 72-113 & 72-114, Red
72-115-4	PVC Insulator for 72-113 & 72-114, Yellow
72-115-5	PVC Insulator for 72-113 & 72-114, Green
72-115-6	PVC Insulator for 72-113 & 72-114, Blue
72-115-9	PVC Insulator for 72-113 & 72-114, White



NEW

NEW

NEW

NEW

# 72-113 Series Kits

## Features

- Heavy Duty 50 Amp Steel Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-113-KIT1	1 Pair of 72-113 Heavy Duty Steel Clips 1 Pair of 72-115-0 Black Insulators
72-113-KIT2	1 Pair of 72-113 Heavy Duty Steel Clips 1 Pair of 72-115-2 Red Insulators
72-113-KIT3	1 Pair of 72-113 Heavy Duty Steel Clips 1 Each of 72-115-0 (Black) and 72-115-2 (Red) Insulators



NEW

# 72-114 Series Kits

## Features

- Heavy Duty 100 Amp Solid Copper Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-114-KIT1	1 Pair of 72-114 Heavy Duty Solid Copper Clips 1 Pair of 72-115-0 Black Insulators
72-114-KIT2	1 Pair of 72-114 Heavy Duty Solid Copper Clips 1 Pair of 72-115-2 Red Insulators
<b>NEW</b> 72-114-KIT3	1 Pair of 72-114 Heavy Duty Solid Copper Clips 1 Each of 72-115-0 (Black) and 72-115-2 (Red) Insulators



# Small Heavy Duty Steel Clip, 25 Amp

## Features

- Zinc Plated Clip
- Special Teeth Firmly Grip Round Test Points
- Crimp or Screw Connection
- Overall Length: 2.800" (71.1mm)
- Jaw Opening: .750" (19.0mm)

NTE Type No.	Description
72-116	Test Clip
<b>NEW</b> 72-116PS	Test Clip with Engraved Plus Sign




# 72-116 Series Kit

## Features

- Small Heavy Duty 25 Amp Steel Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
<b>NEW</b> 72-116-KIT	1 Pair of 72-116 Small Heavy Duty Clips 1 Each of 72-119-0 (Black) and 72-119-2 (Red) Insulators



# Steel Auto Clip, 40 Amp

## Features

- Zinc Plated Clip
- Teeth Mesh Fully on 3 Sides
- Crimp or Screw Connection
- Overall Length: 3.000" (76.2mm)
- Jaw Opening: .750" (19.0mm)

NTE Type No.	Description
72-117	Auto Test Clip



# Solid Copper Auto Clip, 75 Amp

## Features

- Teeth Mesh Fully on 3 Sides
- Crimp or Screw Connection
- Overall Length: 3.000" (76.2mm)
- Jaw Opening: .750" (19.0mm)

NTE Type No.	Description
72-118	Auto Test Clip



# PVC Insulator

## Features

- Fits 72-116, 72-117, & 72-118
- Flexible PVC Composition
- Overall Length: 3.800" (96.5mm)

NTE Type No.	Description
72-119-0	PVC Insulator for 72-116, 72-117, & 72-118, Black
72-119-2	PVC Insulator for 72-116, 72-117, & 72-118, Red
<i>NEW</i> 72-119-4	PVC Insulator for 72-116, 72-117, & 72-118, Yellow
<i>NEW</i> 72-119-5	PVC Insulator for 72-116, 72-117, & 72-118, Green
<i>NEW</i> 72-119-6	PVC Insulator for 72-116, 72-117, & 72-118, Blue
<i>NEW</i> 72-119-9	PVC Insulator for 72-116, 72-117, & 72-118, White



# 72-117 Series Kits

## Features

- 40 Amp Steel Auto Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-117-KIT1	1 Pair of 72-117 Steel Auto Clips 1 Pair of 72-119-0 Black Insulators
72-117-KIT2	1 Pair of 72-117 Steel AutoClips 1 Pair of 72-119-2 Red Insulators
<i>NEW</i> 72-117-KIT3	1 Pair of 72-117 Steel Auto Clips 1 Each of 72-119-0 (Black) and 72-119-2 (Red) Insulators




# 72-118 Series Kits

## Features

- 75 Amp Solid Copper Auto Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-118-KIT1	1 Pair of 72-118 Solid Copper Auto Clips 1 Pair of 72-119-0 Black Insulators
72-118-KIT2	1 Pair of 72-118 Solid Copper AutoClips 1 Pair of 72-119-2 Red Insulators
<i>NEW</i> 72-118-KIT3	1 Pair of 72-118 Solid Copper Auto Clips 1 Each of 72-119-0 (Black) and 72-119-2 (Red) Insulators



# General Purpose Steel Test Clip, 20 Amp

## Features

- Zinc Plated Clip
- Crimp or Screw Connection
- Overall Length: 2.400" (60.9mm)
- Jaw Opening: .630" (16.0mm)

NTE Type No.	Description
72-120	General Purpose Test Clip



# General Purpose Solid Copper Test Clip, 40 Amp

## Features

- Crimp or Screw Connection
- Overall Length: 2.400" (60.9mm)
- Jaw Opening: .630" (16.0mm)

NTE Type No.	Description
72-121	General Purpose Solid Copper Test Clip



# PVC Insulator

## Features

- Fits 72-120 & 72-121
- Flexible PVC Composition
- Overall Length: 3.500" (88.9mm)

NTE Type No.	Description
72-122-0	PVC Insulator for 72-120 & 72-121, Black
72-122-2	PVC Insulator for 72-120 & 72-121, Red
<i>NEW</i> 72-122-4	PVC Insulator for 72-120 & 72-121, Yellow
<i>NEW</i> 72-122-5	PVC Insulator for 72-120 & 72-121, Green
<i>NEW</i> 72-122-6	PVC Insulator for 72-120 & 72-121, Blue
<i>NEW</i> 72-122-9	PVC Insulator for 72-120 & 72-121, White



# 72-120 Series Kits

## Features

- 20 Amp Steel General Purpose Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-120-KIT1	1 Pair of 72-120 Gen Purp Steel Clips 1 Pair of 72-122-0 Black Insulators
72-120-KIT2	1 Pair of 72-120 Gen Purp Steel Clips 1 Pair of 72-122-2 Red Insulators
<i>NEW</i> 72-120-KIT3	1 Pair of 72-120 Gen Purp Steel Clips 1 Each of 72-122-0 (Black) and 72-122-2 (Red) Insulators



# 72-121 Series Kits

## Features

- 40 Amp Solid Copper General Purpose Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-121-KIT1	1 Pair of 72-121 Gen Purp Solid Copper Clips 1 Pair of 72-122-0 Black Insulators
72-121-KIT2	1 Pair of 72-121 Gen Purp Solid Copper Clips 1 Pair of 72-122-2 Red Insulators
<i>NEW</i> 72-121-KIT3	1 Pair of 72-121 Gen Purp Solid Copper Clips 1 Each of 72-122-0 (Black) and 72-122-2 (Red) Insulators



# Petite Steel Clip, 5 Amp

## Features

- Zinc Plated Clip
- Teeth Mesh Fully for General Testing
- Crimp or Screw Connection
- Overall Length: 1.550" (39.4mm)
- Jaw Opening: .320" (8.1mm)

NTE Type No.	Description
72-136	Petite Steel Clip



# 72-136 Series Kit

## Features

- 5 Amp Petite Steel Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
<i>NEW</i> 72-136-KIT	2 Pair of 72-136 Petite Steel Clips 2 Each of 72-143-0 (Black) and 72-143-2 (Red) Insulators



# Petite Solid Copper Clip, 10 Amp

## Features

- Teeth Mesh Fully for General Testing
- Crimp or Screw Connection
- Overall Length: 1.550" (39.4mm)
- Jaw Opening: .320" (8.1mm)

NTE Type No.	Description
72-137	Petite Solid Copper Clip




# 72-137 Series Kit

## Features

- 10 Amp Petite Solid Copper Clip
- Flexible PVC Composition Insulator

NEW

NTE Type No.	Kit Contains
72-137-KIT	2 Pair of 72-137 Petite Solid Copper Clips 2 Each of 72-143-0 (Black) and 72-143-2 (Red) Insulators



# PVC Insulator

## Features

- Fits 72-136 & 72-137
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

NEW

NEW

NEW

NEW

NTE Type No.	Description
72-143-0	PVC Insulator for 72-136 & 72-137, Black
72-143-2	PVC Insulator for 72-136 & 72-137, Red
72-143-4	PVC Insulator for 72-136 & 72-137, Yellow
72-143-5	PVC Insulator for 72-136 & 72-137, Green
72-143-6	PVC Insulator for 72-136 & 72-137, Blue
72-143-9	PVC Insulator for 72-136 & 72-137, White



# Analyzer Clip, Steel, 10 Amp

## Features

- Zinc Plated Steel
- Teeth Mesh Fully on 3 Sides
- Crimp or Screw Connection
- Overall Length: 2.000" (50.8mm)
- Jaw Opening: .500" (12.7mm)

NTE Type No.	Description
72-144	Steel Analyzer Clip



# 72-144 Series Kit

## Features

- 10 Amp Steel Analyzer Clip
- Flexible PVC Composition Insulator

NEW

NTE Type No.	Kit Contains
72-144-KIT	1 Pair of 72-144 Steel Analyzer Clips 1 Each of 72-146-0 (Black) and 72-146-2 (Red) Insulators




# Analyzer Clip, Solid Copper, 20 Amp

## Features

- Teeth Mesh Fully on 3 Sides
- Crimp or Screw Connection
- Overall Length: 2.000" (50.8mm)
- Jaw Opening: .500" (12.7mm)

NTE Type No.	Description
72-145	Solid Copper Analyzer Clip



# 72-145 Series Kit

## Features

- 20 Amp Solid Copper Analyzer Clip
- Flexible PVC Composition Insulator

NEW

NTE Type No.	Kit Contains
72-145-KIT	1 Pair of 72-145 Solid Copper Analyzer Clips 1 Each of 72-146-0 (Black) and 72-146-2 (Red) Insulators



# PVC Insulator

## Features

- Fits 72-144 & 72-145
- Flexible PVC Composition
- Overall Length: 2.560" (65.0mm)

NEW

NEW

NEW

NEW

NTE Type No.	Description
72-146-0	PVC Insulator for 72-144 & 72-145, Black
72-146-2	PVC Insulator for 72-144 & 72-145, Red
72-146-4	PVC Insulator for 72-144 & 72-145, Yellow
72-146-5	PVC Insulator for 72-144 & 72-145, Green
72-146-6	PVC Insulator for 72-144 & 72-145, Blue
72-146-9	PVC Insulator for 72-144 & 72-145, White



# Croc Clip, Steel, 5 Amp

## Features

- Zinc Plated Clip
- Long Serrated Nose for Solid Contact
- Crimp or Screw Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .320" (8.1mm)

NTE Type No.	Description
72-163	Steel Croc Clip



# Croc Clip, Solid Copper, 10 Amp

## Features

- Long Serrated Nose for Solid Contact
- Crimp or Screw Connection
- Overall Length: 2.125" (53.9mm)
- Jaw Opening: .320" (8.1mm)

NTE Type No.	Description
72-164	Solid Copper Croc Clip



# PVC Insulator

## Features

- Fits 72-163 & 72-164
- Flexible PVC Composition
- Overall Length: 1.700" (43.1mm)

NTE Type No.	Description
72-165-0	PVC Insulator for 72-163 & 72-164, Black
72-165-2	PVC Insulator for 72-163 & 72-164, Red
<i>NEW</i> 72-165-4	PVC Insulator for 72-163 & 72-164, Yellow
<i>NEW</i> 72-165-5	PVC Insulator for 72-163 & 72-164, Green
<i>NEW</i> 72-165-6	PVC Insulator for 72-163 & 72-164, Blue
<i>NEW</i> 72-165-9	PVC Insulator for 72-163 & 72-164, White



# 72-163 Series Kits

## Features

- 5 Amp Steel Croc Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-163-KIT	2 Pair of 72-163 Steel Croc Clips 2 Each of 72-165-0 (Black) and 72-165-2 (Red) Insulators
72-163-KIT1	1 Pair of 72-163 Steel Croc Clips 1 Pair of 72-165-0 Black Insulators
72-163-KIT2	1 Pair of 72-163 Steel Croc Clips 1 Pair of 72-165-2 Red Insulators
<i>NEW</i> 72-163-KIT3	1 Pair of 72-163 Steel Croc Clips 1 Each of 72-165-0 (Black) and 72-165-2 (Red) Insulators




# 72-164 Series Kits

## Features

- 10 Amp Solid Copper Croc Clip
- Flexible PVC Composition Insulator

NTE Type No.	Kit Contains
72-164-KIT1	1 Pair of 72-164 Solid Copper Croc Clips 1 Pair of 72-165-0 Black Insulators
72-164-KIT2	1 Pair of 72-164 Solid Copper Croc Clips 1 Pair of 72-164-2 Red Insulators
<i>NEW</i> 72-164-KIT3	1 Pair of 72-164 Solid Copper Croc Clips 1 Each of 72-165-0 (Black) and 72-165-2 (Red) Insulators



# Heavy Duty Solid Copper Clip, 200 Amp

## Features

- Heavy Duty Spring and Construction
- Lug Connection
- Overall Length: 6.000" (152.4mm)
- Jaw Opening: 1.625" (41.3mm)



NTE Type No.	Description
72-173	Test Clip
72-173PS	Test Clip with Engraved Plus Sign

NEW

NEW

# Heavy Duty Zinc Plated Steel Clip, 100 Amp

## Features

- Heavy Duty Spring and Construction
- Lug Connection
- Overall Length: 6.000" (152.4mm)
- Jaw Opening: 1.625" (41.3mm)



NTE Type No.	Description
72-174	Test Clip
72-174PS	Test Clip with Engraved Plus Sign

NEW

NEW

# PVC Insulator

## Features

- Fits 72-173, 72-173PS, 72-174 & 72-174PS
- Flexible PVC Composition
- Overall Length: 6.811" (173mm)



NTE Type No.	Description
72-176-0	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Black
72-176-2	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Red
72-176-4	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Yellow
72-176-5	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Green
72-176-6	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Blue
72-176-9	PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, White

NEW

NEW

NEW

NEW

NEW

NEW

# Heavy Duty Solid Copper Welding Clip, 300 Amp

## Features

- Heavy Duty Spring and Construction
- Lug Connection
- Overall Length: 7.750" (196.8mm)
- Jaw Opening: 1.810" (46mm)



NTE Type No.	Description
72-172	Solid Copper Welding Clip

NEW