

THE NTE[®] BRAND

NTE[®]

Electronic components for:

- Industrial
- Consumer
- Commercial
- MRO Applications
- Cross References For Over 525,000 Industry Part Numbers



THE ECG[®] BRAND

ECG[®]

- Butane/Electric Soldering and Heat Products
- Aerosol Chemicals
- Test Equipment
- Surge Protectors
- Wireless Security and Inspection Cameras



MASTER DISTRIBUTED BRANDS

NTE offers unmatched service and in-depth inventory from some of the world's leading electronics manufacturers.

Amphenol Connex[®]
Amphenol RF[®]

CML
A VCC PRODUCT FAM

COAST[™]

kester[®]

KILO
INTERNATIONAL

PLATO[®]

PRECISION ELECTRONIC COMPONENTS LTD.

TECHSPRAY[™]

Chemtronics[®]

AC to DC Adapters



- Regulated
- 100 - 240VAC
- 50/60 Hz
- Wall Mount & Desk Top
- C(UL) US Listed
- Folding Plug USB Type
- 4 Port USB Type
- 2.1mm, 2.5mm, & 3.5mm tips
- 5VDC through 24VDC
- 500mA through 6A
- Power Banks
- Polarity Reversal Plugs
- New 12V 8A & 10A Types

Binding Post and Banana Sockets



- Single and Dual Types
- 4mm Sockets
- Red/Black
- Dual Binding Post
- Nickel Plated Brass

Cable Ties + Bundle Management



- Standard Cable Ties
- Specialty Cable Ties
- Stainless Steel Cable Ties
- Cable Tie Tension Tools
- Cable Tie Accessories
- Convenience Packs
- Split Loom
- Assorted Sizes and Colors
- Spiral Wrap
- Twist Locks
- Cable Clamps
- Expandable Sleeving

Electroluminescent (EL) Wire



- Red, Blue, Transparent Blue, Green, Transparent White, Yellow Green, Orange
- 2.3mm and 3.2mm Diameters
- 9.84 Foot Length (3M) with Pre-Wired Connector
- Environmentally Friendly and Energy Saving—Uses 50-70% less energy than LED lamps, 20-40% less than Rope Lighting, and 1-10% less than Neon Lighting

Fans



- AC and DC Types: 12 and 24VDC 100-125VAC
- Sizes Include: 40x40mm 60x60mm 80x80mm 92x92mm 120x120mm
- Ball Bearings
- Locked Rotor Protection
- All are RoHS Compliant
- Most are UL Recognized
- Metal Fan Guards
- Fan Cords
- Fan Filters

Flexible LED Strips



- **Flexible LED Strips**
- Red, Amber, Blue, Green, White, Warm White, Pink, Purple and Red/Green/Blue
- 2835, 3528 & 5050 LEDs
- Non-Water Resistant (IP20), Water Resistant (IP65) and Water Proof (IP68) Available
- 120 Degree View Angle
- Adhesive Back Tape
- Soft Touch Remote Control
- 16.4 Foot Reels (5M)
- 20" Lengths Available

- Pre-Packaged Kits

Fuses



- Cartridge Case Sizes: - 3.6 x 10mm/5 x 20mm/ (3AG and 3AB Equivalent) 6 x 30mm, and 10 x 38mm
- Glass and Ceramic
- Fast Acting and Slow Blow
- Standard, Mini, and Max Automotive
- Fuse Clips
- Panel Mount Holders
- Fuse Blocks
- PICO Fuse Equivalent
- 2 AG Type Equivalent
- In Line Fuse Holders
- Fuse Kits
- Axial Lead 5 x 20mm and 2AG Equivalent
- Photovoltaic/Solar Panel Power
- LED Indicator Types
- Circuit Taps

Heat Shrink Tubing



- Thin Wall Cross-Linked Polyolefin
- Available in 11 colors
- Shrink Temperature: 120°C
- Dual Wall Cross-Linked Polyolefin with Adhesive
- Shrink Ratio: 2:1
- Thin/3:1 Dual
- Medium and Thick Wall
- Assortment Packs

Hook-Up Wire



- Automotive Wire
- Teflon Coated Wire
- Speaker Wire Clear
- 10 Colors and Gauges from 10 to 26
- Audio Speaker Cable
- 300V and 600V Solid and Stranded Wire
- Black/Red Bonded Speaker Wire
- High Performance Home Audio Speaker Cable
- Magnet Wire
- Test Lead Wire
- Multi-Conductor Cable
- Pre-Loaded Wire Dispensers

LED Lamps + Halogen Bulbs

NEW



- Square Interior 12/24 VDC
- Round Interior 12/24 VDC
- 12 V and 120V Halogen
- Long Life
- Dimmable
- Rotating Swivel 12/24 VDC
- Waterproof Light Bar 12 VDC

Potentiometers and Trimmers



- Carbon Potentiometers
- Cermet Potentiometers
- Wirewound Potentiometers
- Military Potentiometers
- Cermet Trimmers
- Dials
- Knobs

Relays



- Electromechanical
- Automotive Type
- Time Delay
- Thermal Circuit Breakers
- Accessories
- Replacements for Over 90,000 Types
- Solid State
- Reed
- I/O Modules
- Surface Mount Types
- Magnetic Latching
- DIN Rail
- Full Featured
- Weatherproof
- Contactors

Resistors, Capacitors and Thermistors



- Flameproof 1/8W to 3W
- Metal Film/Oxide
- Fusible Power Oxide
- Carbon Composition
- Vitreous Wirewound/Edgewound
- Power Wirewound
- Surface Mount Types
- Aluminum Electrolytic
- Tantalum
- Round & Oval Motor Start/Run
- Snap-in Mount
- Multilayer Ceramic
- Mylar/Polyester Film
- Prepackaged Kits
- Dual Capacitance
- Ceiling Fan
- NTC
- PTC
- Radial Lead
- 1 Ohm through 200k Ohm

Semiconductors



- Power Block/Hybrid Mod.
- Small Signal/Power Transistors
- Transient Suppressors
- Thyristors
- Integrated Circuits
- Industrial Rectifiers/Bridges
- Robotic Components
- Replacements for Almost 400,000 Industry Types
- Voltage Regulators
- Thermal Cutoffs
- Zener Diodes
- Surface Mount Types
- Full Optoelectronic Line

Switches



- Bat Handle Toggle
- Paddle Toggle
- Metal and Nylon Pushbutton
- Sealed Automotive/Marine Types
- Rocker
- Snap Action
- Pull Chain
- Illuminated
- Anti-vandal and Security Types
- Complete Cross Reference
- PC Mount
- Waterproof
- Economy
- Slide
- Pushbutton Canopy

Terminal Blocks



- Barrier
- Euro-style
- 2 through 24 Pole
- 3.5mm through 11mm Pitch
- Single & Dual Row
- PC & Solder Terminals
- Pluggable
- Euro-Style Barrier Strips

Terminals and Connectors



- Ring Terminals
- Spade Terminals
- Pin Terminals
- Flag Terminals
- Waterproof Heat Shrink Terminals
- Butt Connectors
- Male and Female Disconnects
- Piggy Back Disconnects
- Bullet and Receptacle Disconnects
- Twist-On Wire Connectors, Close End Connectors, Stripping Quick Splices
- Heat Shrink Insulated Butt Connectors with Internal Fluxed Solder Ring
- Multi-Function Crimp Tool

Test Leads and Clips



- Alligator, Crocodile, Plier, and Spring Type Clips
- Probes, Sprung Hooks, and Cable Piercers
- Panel Sockets
- Self Assembly Plugs, Sockets, and Cables
- Cable Assemblies
- OEM Safety Test Lead Sets
- OEM Fused Probe Sets
- Modular Test Lead Sets
- Multi-Pin Connector Test Lead Sets
- Automotive Kits and Accessories

THE ECG® BRAND

ECG®

Butane/Electric Soldering and Heat Products



- Butane Torches

- Variable Wattage Electric Soldering Iron
- Butane Soldering Irons
- Electric De-soldering Irons
- Electric Corded Soldering Irons
- Tips and Accessories
- Soldering Iron Kits
- Butane Powered Glue Gun
- Industrial and Economy Electric Heat Guns
- Miniature Soldering Irons
- Dual Heat Soldering Station
- Mini Heat Gun
- Mechanical De-Soldering Pumps

Aerosol Chemicals



- Hydroentangled Cellulose/Polyester C-Fold Wipes
- Electronics Washes

- Electronics Contact Cleaners, Degreasers and Washes
- Electronics Contact Cleaners with Lubes
- Heavy-Duty Flux Removers
- Heavy-Duty Cleaning Solvents
- Jet Air Dusters (Both HFC-134a and HFC-152a Formulas)
- 141b Formula Replacements
- Silicone Lubricants
- Computer Glass and Plastic Cleaner
- Label and Adhesive Removers
- Antistatic Circuit Refrigerants
- Straw Holders
- Electronics Degreasers and Washes
- Butane
- CARB Compliant Types

Test Equipment



- Digital Infrared Thermometer
- Analog Multimeters
- Digital Multimeters
- AC Clamp-On Digital Meters
- AC Clamp-On Current Adapter
- Digital Capacitance Meter
- Handheld Digital Thermometer
- Logic Probes
- Oscilloscope Probes
- Test Leads

Wireless Security and Inspection Cameras



- WIC-1™ Standard Version

- WIC-100™ Deluxe Version
- 2.4" and 3.5" Removable Color LCD Monitors
- Video Out or Removable SD Card for Recording
- 4.5 mm, 9 mm and 15.9 mm Camera Heads
- Waterproof Camera and Shaft (IP67)
- Mirror, Hook and Magnetic Tips
- Magnetic Monitor Base
- Many Accessories
- WSS-1 Digital Pan and Tilt Surveillance System
- Real-Time, High Quality Video and Audio Monitoring

Surge Protectors



- Multi-Outlet Combinations
- Metal or Plastic Case

- Plug-in Protection For Office, Industrial, Institutional and Residential Applications
- Optional Phone-Line Protection
- General Purpose Protector
- Optional EMF/RFI Noise Filter
- Single and 3 Mode Protection
- 90° Rotated Outlets to Accommodate External Power Supplies
- High Joule Ratings
- Safety Slide Covers
- 3 Outlets with 2 USB Chargers
- Energy Saving Power Center
- Digital Timer

MASTER DISTRIBUTED BRANDS

Amphenol Connex® Amphenol RF®

Interconnect Products

- BNC
- MINI-UHF
- N
- Twinax
- TNC
- UHF
- Tools

Chemtronics®

Chemicals and Repair Products

- Cleaners
- Solvents
- Swabs and Wipes
- Precision Rework and Repair Tools
- Desoldering Braid
- Fiber Optic Cleaning Products

CML A VCC PRODUCT FAMILY

Miniature Lighting

- Panel Mount Indicators
- Neon Indicators
- LED Indicators
- Super Bright LEDs
- Incandescent Products
- Neon Lamps
- Optical Light Pipes
- Halogen Lamps
- Circuit Board Indicators
- Industrial Lamps

COAST™

LED Flashlights

- LED Flashlights
- Focus Beam LED Flashlights
- LED Lanterns
- Headlamps
- Titanium Knives
- LED Pliers

kester®

Solder Products

- Wire Solder
- Water Soluble Fluxes
- Bar Solder
- Rosin Based Fluxes
- No-clean Fluxes
- Residue Cleaning Solutions
- Flux Pens
- Counter Displays
- Solder Paste
- Solder Analysis Programs
- Pocket Paks®
- New Lead Check™ Products
- Lead Free Products

KILO INTERNATIONAL

Knobs and Dials

- Machined Aluminum Knobs
- Multi-Turn Dials
- Uncalibrated Dials
- Push-to-Turn Knobs
- Soft-Touch Ring Knobs

PLATO®

Soldering Tools

- Lead Free Soldering Tips
- Lead Free Desoldering Tips
- Cutters and Shears
- Liquid Dispensers
- Sponges
- Solder Accessories

PRECISION ELECTRONIC COMPONENTS LTD.

Military-Style Potentiometers

- RV4NAY/RV4LAY
- RV6NAY/RV6LAY
- RV8NAY
- Linear Taper
- Logarithmic Taper

TECHSPRAY®

Chemicals

- Dusters/Freeze Spray
- Cleaners and Degreasers
- Contact Cleaners
- Flux Removers
- Static Control Products
- Desoldering Braid
- Brushes, Swabs and Wipes
- Solder Fault Marker
- Board Repair Pens and Adhesive
- Temporary Solder Masks
- LCD and Plasma TV Cleaner
- Green Cleaners
- Turbo Coat Acrylic Conformal Coating

NTE® ELECTRONICS, INC.

NTE Electronics, Inc., 44 Farrand Street, Bloomfield, NJ 07003

Distributed by:

P/N: P10036 3/17

Tel: (973) 748-5089

nteinc.com